

FIBERGLASS & STEEL

EXTERIOR DOORS





UNFADING BEAUTY

Real beauty isn't here today and gone tomorrow. It's strong, stable and always enduring. You'll discover these qualities in every JELD-WEN Fiberglass exterior door. These doors are built to last and are designed with the look of real wood. You can count on them to enhance your home for many years. Because at JELD-WEN, we always make beauty reliable.

Introduction	4
Door Overviews	
Architectural Fiberglass doors	5
FiberLast [™] Fiberglass doors	5
Design-Pro Fiberglass doors	
Smooth-Pro Fiberglass doors	
Steel doors (24-and 25-gauge doors)	
Choosing your door system	7
Architectural Fiberglass doors	
Architectural Fiberglass door designs	
Craftsman Fiberglass door designs	
Scarlett (SL)	
Paris (PS)	
Monterey (MO) Oak Park (KP)	
Madison (MI)	
Prairie Bevel (PR)	
Beveled Elegance (BE)	
Clear Glass (CL)	
Rain Glass (RN)	
Glue Chip Glass (DGC)	
Micro-Granite Glass (MG)	14
Plank Fiberglass door designs	
Architectural Fiberglass doors with decorative glass	
Aragon (AG)	
Linden (LD)	
Providence (PC)	
Monticello (MT)	
Bellview (BV) Castile (CS)	
Harrington (HR)	
Alvarado (AL)	
Glass Options and Availability Matrix	30-33
FiberLast Fiberglass doors	
FiberLast Fiberglass door designs	
FiberLast Fiberglass doors with decorative glass	
Impressions (LI)	
Catalina (CA)	
Tripoli (TP)	
Beveled Elegance (BE)	
Entropy (EN)	
Avalon (AN)	43
Design-Pro Fiberglass doors	
Design-Pro Fiberglass door designs	
Design-Pro Fiberglass doors with decorative glass	
Paris (PS)	
Veranda (VR)	

Expressions (EX) Legacy Master (LM) Oak Park (KP) Nouveau (MN) Blinds, tan (TRLB) Clear Simulated Divided Lites (SDL)	58
Smooth-Pro Fiberglass doors	
Smooth-Pro Fiberglass door designs	
Smooth-Pro Fiberglass doors with decorative glass	
Cadence (CD)	
Cirrus (CR)	
Prairie Bevel (PR) Jacinto (JA)	
Heirlooms (HM)	
Bristol (BT)	
Avant (AV)	
Steel doors	
Steel door designs	
Steel doors with decorative glass	
Radiant Hues (RA)	
Madison (MI)	
Teton (TE)	
Monterey (MO)	
Majestic (ME)	
Cut Crystal (CC) Simplicity	
Triple Glazed Blinds (BLD)	90 91
Triple Glazed Blinds with grilles (CGBGBLD)	
Blinds between the glass (RLB)	
Vents	
Frilles between the class and clear dependence	
Grilles between the glass and clear doorglass	
mpact and Coastal Rated Doors	
system information	
Preserving Craftsmanship	100
Door Specifications	101-105
Narranty	106-107



DEFINING CHOICES

JELD-WEN Exterior Doors | Fiberglass | Steel

Whatever you need your front door to be, JELD-WEN can fulfill your requirements. We make the greatest range of reliable exterior doors to suit a variety of architectural styles, climates and budgets. JELD-WEN Fiberglass exterior doors are a lowmaintenance choice with beautiful details and designs to increase curb appeal. They are designed to meet ENERGY STAR® requirements for 2010*; and are reliable and worry-free. We also offer the full breadth of steel doors in 24-gauge and 25-gauge steel door designs.



4

Architectural | Fiberglass

It's all about the details. These doors feature greater detailing for a more genuine wood appearance, and they're made to be architecturally authentic.

- » Mahogany woodgrain designs with raised moulding
- » Oak woodgrain designs with detailed panel profiles
- » Mahogany woodgrain doors feature new hardwood edge and improved graining for a genuine wood appearance
- » Energy efficient core
- » Beautiful glass inserts in a wide variety of styles
- » Available in 6'8" and 8'0" heights. Please check for availability









FiberLast[™] | Fiberglass*

The first fiberglass door that combines durability, energy efficiency and recycled content.

Eco-Friendly Aspects

- » 35% recycled content with blend of fiberglass and wood fibers**
- » Meets 2010 ENERGY STAR® requirements***

Durable

- » Dent and weather resistant
- » More stable under extreme heat and cold than standard fiberglass or steel doors

Beautiful

» Choose smooth or woodgrain white for painting, or woodgrain tan for staining





- * Patent pending
- ** JELD-WEN is undergoing assessment with SCS to certify FiberLast for recycled content
- *** Energy performance ratings will vary with glass selection





DEFINING CHOICES

Design-Pro | Fiberglass

- » The look of wood with low-maintenance in mind
- » Energy efficient core
- » Composite capped edges for enhanced protection against harsh weather conditions
- » Wide selection of glass inserts
- » Available in 6'8" and 8'0" heights. Please check for availability







Smooth-Pro | Fiberglass

- » Smooth fiberglass with high definition panels
- » Energy efficient core
- » Composite capped stiles and rails for enhanced protection against harsh weather conditions
- » Available in 6'8" and 8'0". Please check for availability



24-Gauge and 25-Gauge | Steel

- » Designed for strength, durability and protection
- » Galvanized steel with baked on enamel primer for easier finishing
- » Energy efficient core
- » Optional 22-gauge steel edge construction for added durability and fire ratings up to 90-minutes (for true fire protection, doors must be used with a certified door frame, hardware and components)





Beyond their clean design | JELD-WEN[®] exterior doors include many qualities that make them a beautiful choice. They're enduring. They're energy efficient. And they're perfectly low-maintenance. Options like decorative glass or blinds between the glass offer everyday beauty and convenience. Add sidelights or a transom to create your unique entry door system. Here are a few standard system configurations to choose from:



Single Door



Single Door

with Sidelight



Sinale Door

with two Sidelights



Single Door

with Transom



Single Door

with Sidelights

and Transom



Double Doors





Double Doors with Sidelights

Choose Door Type

Fiberglass

Fiberglass doors give the look of wood without the upkeep. They won't dent, warp, rust or rot and resist shrinking and swelling.







FiberLast[™] Fiberglass

Environmentally friendly doors. The durability and low-maintenance of fiberglass with eco-friendly aspects because of their recycled content.



Oak



Smooth

Steel Doors


Select steel exterior doors as an affordable, low-maintenance choice. They provide strength and energy efficiency.





Choose Door Panel Style

Personalize your home with a door that suits your home's architecture. Add sidelights or a transom for the entry of your dreams. Here are just a few options.





Select your Doorglass

Decorative doorglass will brighten your entryway without compromising privacy. Choose from any of the featured glass designs on the following pages. Please refer to the matrix on pages 32-33 for the complete list of glass options by door type.











Glass privacy ratings help you choose the right level of opacity for your home.





ARCHITECTURAL DOOR DESIGNS

These doors feature greater detailing for a more genuine wood appearance, and they're made to be architecturally authentic. | For example, flat-paneled Craftsman designs are ideal for homes with Mission, Prairie, Shaker and Craftsman architecture. Our charming plank door designs compliment Old World home styles. And the distinctive look of our Mahogany woodgrain designs with raised moulding will enhance any home. Only JELD-WEN[®] offers so many fiberglass door designs and options.



AC-816KP

Model numbers explained | Each model number contains a reference to the door type, glass size and glass design. For example; AC stands for Architectural Craftsman, 816 for the Camber Top size, KP stands for Oak Park. This naming system has been applied to all of our doors and simplifies the order process.

AC Architectural Craftsman **816** Glass size **KP** Glass design



AM-826 Full View 3'0" x 6'8"



AM-828 3/4 View 3'0" x 6'8"



AM-30 3-Panel 3'0" x 6'8"



AM-949 3-Panel with 3/4 Oval 3'0" x 6'8"



AM-40 4-Panel Bottom Arch 3'0" x 6'8"



AM-60 6-Panel 3'0" x 6'8"



AM8-826 8'0" 3/4 View 3'0" x 8'0"



AM8-40 8'0" 4-Panel Bottom Arch 3'0" x 8'0"



AM8-60 8'0" 6-Panel 3'0" x 8'0" 3'6" x 8'0"



AM-560 Full View SL 1'0" x 6'8" 1'2" x 6'8"

 AM-564
 AM-563

 3/4 View SL
 1/2 View SL

 1'0" x 6'8"
 1'2" x 6'8"



AM8-562 8'0" Full View SL 1'0" x 8'0" 1'2" x 8'0"

ARCHITECTURAL | OAK WOODGRAIN

Architectural Door Construction



AO-826 Full View 3'0" x 6'8"



AO-828 3/4 View 3'0" x 6'8"



AO-60 6-Panel 3'0" x 6'8"



AO-560 Full View SL 1'0" x 6'8" 1'2" x 6'8"

AO-564

3/4 View SL 1'0" x 6'8" 1'2" x 6'8"



AO-827

1/2 View

3'0" x 6'8"

AO-563 1/2 View SL 1'0" x 6'8" 1'2" x 6'8"



- A. Raised moulding (Mahogany)
- B. Energy efficient core
- C. Composite bottom rail
- D. LVL stiles
- E. Edge band



- » 1-3/4" door
- » LVL top and bottom rails
- » 4" LVL stiles and edge band
- » New hardwood edge for Mahogany; composite edge for Oak
- » Energy efficient core
- » 20-minute fire rating construction available*

Fire-Rated Doors

Our fire-rated steel doors are made to meet or exceed local fire rating building codes for both residential and light commercial use.* For true fire protection, these doors must be used with certified frames and hardware.





ARCHITECTURAL | CRAFTSMAN



AC-816SL 3'0" x 6'8"



AC-819SL

1'0" x 6'8" 1'2" x 6'8"


10

Patina

AC-814SL 3'0" x 6'8"

Scarlett

- » Clear Soft Wave Glass
- » Ruby Red Soft Wave Glass
- » Olive Soft Wave Glass
- » Yellow Swirl Glass
- » Micro-Iced Granite Glass



-

Transoms

AC-816PS

3'0" x 6'8"



AC-814PS 3'0" x 6'8"

Paris

» Clear Bevels

» Arctic Glass



Rectangular | Patina | 507PS | 521PS See page 50 for transom sizes

10

Monterey

Privacy Rating | 7

0



AC-816MO 3'0" x 6'8"

AC-814MO 3'0" x 6'8"



AC-819MO 1'0" x 6'8" 1'2" x 6'8"



0



Rectangular | Patina | 507MO

See page 89 for transom sizes

Transoms

12

Oak Park



AC-816KP 3'0" x 6'8" AC-819KP 1'0" x 6'8" 1'2" x 6'8"

Patina

Privacy Rating | 5



Transoms



Rectangular | Patina | 506KP | 507KP | 521KP See page 62 for transom sizes

10



AC-814KP

3'0" x 6'8"

Oak Park

» Clear Bevels

» Crinkle Glass

» Thin Reed Glass » Seedy Glass





Paris



AC-819PS 1'0" x 6'8" 1'2" x 6'8"

ARCHITECTURAL | CRAFTSMAN

Madison



AC-816MI 3'0" x 6'8"

AC-814MI AC-819MI 1'0" x 6'8" 1'2" x 6'8" 3'0" x 6'8"



Madison Nickel Vein Wrought Ir » Micro-Cubed Glass

Privacy Rating | 9 0 10


Prairie Bevel



AC-816PR 3'0" x 6'8"




3'0" x 6'8"



Transoms

Prairie Bevel

» Clear Bevels



Rectangular | Patina | 506PR | 507PR See page 76 for transom sizes



AC = Architectural Mahogany Craftsman



ARCHITECTURAL | CRAFTSMAN

H

AC-814LE

3'0" x 6'8"

and MG

H 0

Privacy Rating | 9

0

Privacy Rating | 1

10

AC-819LE

1'0" x 6'8" 1'2" x 6'8"

10

Model 814 also available in RG, DGC

Clear Glass





AC-816LE 3'0" x 6'8'

AC-819LE 1'0" x 6'8" 1'2" x 6'8"





AC-815RN* 3'0" x 6'8"






AC-819RN 1'0" x 6'8" 1'2" x 6'8"

AC-817RN* 3'0" x 6'8"









Simulated Divided Lights



AC-815SDL 3'0" x 6'8"

AC-817SDL 3'0" x 6'8"

$H \rightarrow$ 10

Privacy Rating | 1

0

AC-818SDL 3'0" x 6'8"


Double Glue Chip Glass Privacy Rating | 9 0

10

AC-815DGC* 3'0" x 6'8"

AC-819DGC AC-817DGC* 3'0" x 6'8"

AC-818DGC* 3'0" x 6'8"



Rain Glass (RN)

Double Glue Chip Glass (DGC)



Micro-Granite Glass (MG)

Micro-Granite Glass



AC-815MG* 3'0" x 6'8"



AC-818MG* 3'0" x 6'8"





* Models 815, 817 and 818 are simulated divided lites.

ARCHITECTURAL | PLANK





AP-24 3'0" x 6'8"



AP8-24 3'0" x 8'0" 3'6" x 8'0"









ARCHITECTURAL | ARAGON (AG)

Architectural Mahogany



AM-826AG Full View 3'0" x 6'8"



AM-560AG Full View SL 1'0" x 6'8" 1'2" x 6'8" **AM-564AG** 3/4 View SL 1'0" x 6'8" 1'2" x 6'8"

Also available in 3'0" x 8'0" AM8-826AG

AM-828AG

3/4 View

3'0" x 6'8"






Oil-Rubbed Bronze

Aragon

- » Granite Glass
- » Micro-Granite Glass
- » Thin Reed Glass
- » Bronze Soft Wave Glass
- » Clear Bevels

Privacy Rating | 7



Transoms



Rectangular | Oil-Rubbed Bronze | 521AG (Fits above 3'-0" door w/ (2) 12" sidelights) — 13-1/2" frame height

Architectural Oak



A0-826AG Full View 3'0" x 6'8"

A0-560AG

Full View SL 1'0" x 6'8" 1'2" x 6'8"



A0-828AG 3/4 View 3'0" x 6'8" **A0-564AG** 3/4 View SL 1'0" x 6'8" 1'2" x 6'8"

ARCHITECTURAL | LINDEN (LD)

Architectural Mahogany



AM-826LD Full View 3'0" x 6'8"



1'0" x 6'8" 1'2" x 6'8"



AM-828LD 3/4 View 3'0" x 6'8"

AM-564LD 3/4 View SL 1'0" x 6'8" 1'2" x 6'8"

Also available in 3'0" x 8'0" AM8-826LD





Linden

- » Clear Bevels
- » Red Crystals
- » Gray Soft Wave Glass
- » Micro-Granite Glass

Privacy Rating | 8




Transoms



Segment | Satin Nickel | 532LD (Fits above 3'-0" door w/ (2) 12" sidelights) ----13-1/2" frame height

Architectural Oak



A0-826LD Full View 3'0" x 6'8"





A0-828LD 3/4 View 3'0" x 6'8"

A0-564LD 3/4 View SL 1'0" x 6'8" 1'2" x 6'8"








Providence

- » Clear Bevels
- » Clear Jewels
- » Granite Glass
- » Dark Amber Soft Wave Glass
- » Thin Reed Glass

Privacy Rating | 9



Transoms



Rectangular | Satin Nickel | 521PC (Fits above 3'-0" door w/ (2) 12" sidelights) — 13-1/2" frame height

Architectural Mahogany





AM-826PC Full View 3'0" x 6'8"

AM-560PC Full View SL 1'0" x 6'8" 1'2" x 6'8"

AM-563PC 1/2 View SL 1'0" x 6'8" 1'2" x 6'8"



3/4 View SL

1'0" x 6'8" 1'2" x 6'8"

AM-828PC 3/4 View 3'0" x 6'8"



AM8-826PC 8'0" 3/4 View 3'0" x 8'0"

AM8-562PC 8'0" Full View SL 1'0" x 8'0" 1'2" x 8'0"

Architectural Oak



AO-826PC Full View 3'0" x 6'8"





3/4 View SL


1'0" x 6'8" 1'2" x 6'8"

AO-828PC 3/4 View 3'0" x 6'8"




AO-827PC 1/2 View 3'0" x 6'8"


AO-563PC 1/2 View SL 1'0" x 6'8" 1'2" x 6'8"





Monticello » Arctic Glass





Transoms



Half Round | Wrought Iron | 516MT (Fits above 3'-0" door w/ (2) 14" sidelights) — 35" frame height



Rectangular | Wrought Iron | 521MT (Fits above 3'-0" door w/ (2) 12" sidelights) — 13-1/2" frame height

Architectural Mahogany



AM-826MT Full View 3'0" x 6'8"

AM-560MT Full View SL 1'0" x 6'8" 1'2" x 6'8"



AM-828MT 3/4 View 3'0" x 6'8"





AM8-826MT 8'0" 3/4 View 3'0" x 8'0"



1'2" x 8'0"

Architectural Oak



AO-826MT Full View 3'0" x 6'8"





AO-828MT 3/4 View 3'0" x 6'8"

AO-564MT 3/4 View SL 1'0" x 6'8" 1'2" x 6'8"







Bellview

- » Clear Bevels
- » Granite Glass
- » Hammered Glass

Privacy Rating | 7




Transoms



Half Round | Patina | 516BV (Fits above 3'-0" door w/ (2) 14" sidelights) — 35" frame height

Patina

Architectural Mahogany



AM-826BV Full View 3'0" x 6'8"

AM-828BV AM-560BV Full View SL 3/4 View 1'0" x 6'8" 1'2" x 6'8" 3'0" x 6'8"



AM-564BV 3/4 View SL 1'0" x 6'8" 1'2" x 6'8"



AM-949BV 3-Panel with 3/4 Oval

3'0" x 6'8"

AM-563BV 3/4 View SL 1'0" x 6'8" 1'2" x 6'8"



AM8-562BV 8'0" Full View SL 1'0" x 8'0" 1'2" x 8'0"

Architectural Oak



AO-826BV Full View 3'0" x 6'8"





AO-828BV 3/4 View 3'0" x 6'8"




AO-827BV 1/2 View 3'0" x 6'8"

3/4 View SL

1'0" x 6'8" 1'2" x 6'8"

AO-563BV 1/2 View SL 1'0" x 6'8" 1'2" x 6'8"






Castile

- » Clear Bevels
- » Brown Bevels
- » Clear Jewels
- » Iced Granite Glass
- » Micro-Iced Granite Glass

Privacy Rating | 7



Transoms



Half Round | Brass | 516CS (Fits above 3'-0" door w/ (2) 14" sidelights) — 35" frame height



Rectangular | Brass | 521CS (Fits above 3'-0" door w/ (2) 12" sidelights) — 13-1/2" frame height

 \sim

Architectural Mahogany



AM-826CS Full View 3'0" x 6'8"



Full View SL 3/4 View 1'0" x 6'8" 3'0" x 6'8" 1'2" x 6'8"



AM-564CS 3/4 View SL 1'0" x 6'8" 1'2" x 6'8"



AM-949CS 3-Panel with 3/4 Oval 3'0" x 6'8"

AM-563CS 1/2 View SL 1'0" x 6'8" 1'2" x 6'8"

AM8-826CS 8'0" 3/4 View 3'0" x 8'0"

AM8-562CS 8'0" Full View SL 1'0" x 8'0" 1'2" x 8'0"

Architectural Oak



AO-826CS Full View 3'0" x 6'8"



A0-828CS A0-564CS

AO-828CS 3/4 View 3'0" x 6'8"



AO-827CS 1/2 View 3'0" x 6'8"

3/4 View SL

1'0" x 6'8" 1'2" x 6'8"

AO-563CS 1/2 View SL 1'0" x 6'8" 1'2" x 6'8"








Harrington

- » Clear Bevels
- » Iced Granite Glass
- » Frosted Glass

Privacy Rating | 9



Transoms



Half Round | Satin Nickel | 516HR (Fits above 3'-0" door w/ (2) 14" sidelights) — 35" frame height



Elliptical | Satin Nickel | 578HR (Fits above 3'-0" door w/ (2) 12" sidelights) — 13-1/2" frame height

Architectural Mahogany



AM-826HR Full View 3'0" x 6'8"



Full View SL 1'0" x 6'8" 1'2" x 6'8"



AM-828HR 3/4 View 3'0" x 6'8"

AM-564HR

3/4 View SL

1'0" x 6'8" 1'2" x 6'8"



AM-949HR 3-Panel with 3/4 Oval 3'0" x 6'8"

AM-563HR 1/2 View SL 1'0" x 6'8" 1'2" x 6'8"

AM8-826HR 8'0" 3/4 View 3'0" x 8'0"



AM8-562HR 8'0" Full View SL 1'0" x 8'0" 1'2" x 8'0"

Architectural Oak



AO-826HR Full View 3'0" x 6'8"



A0-828HR A0-564HR

AO-828HR 3/4 View 3'0" x 6'8"



AO-827HR 1/2 View 3'0" x 6'8"

3/4 View SL

1'0" x 6'8" 1'2" x 6'8"

AO-563HR 1/2 View SL 1'0" x 6'8" 1'2" x 6'8"





Alvarado

- » Clear Bevels
- » Clear Jewels
- » Granite Glass
- » Chinchilla Glass
- » Micro-Granite Glass

Privacy Rating | 7



Transoms



Segment | Black Chrome | 532AL (Fits above 3'-0" door w/ (2) 12" sidelights) — 15-1/2" frame height



Rectangular | Black Chrome | 521AL (Fits above 3'-0" door w/ (2) 12" sidelights) — 13-1/2" frame height

Black Chrome

Architectural Mahogany





AM-560AL Full View SL 1'0" x 6'8" 1'2" x 6'8"



AM-828AL 3/4 View 3'0" x 6'8"



3/4 View SL

1'0" x 6'8" 1'2" x 6'8"

AM8-826AL 8'0" 3/4 View 3'0" x 8'0"

ø AM8-562AL

8'0" Full View SL 1'0" x 8'0" 1'2" x 8'0"

Architectural Oak



AO-826AL Full View 3'0" x 6'8"



Full View SL 1'0" x 6'8" 1'2" x 6'8"



AO-828AL 3/4 View 3'0" x 6'8"


AO-564AL 3/4 View SL 1'0" x 6'8" 1'2" x 6'8"



GLASS OPTIONS

Handcrafted decorative doorglass adds beauty and mystique to your door. | Our enduring designs serve as a focal point for your home, a reflection of your personal style, and a bridge between you and the world outside. These beautiful glass designs are sure to meet any architectural or design need. We even offer products such as blinds between the glass.

The glass options shown on pages 38-97 are available in either FiberLast[™], Design-Pro Oak, Design-Pro Mahogany, and Smooth-Pro fiberglass doors depending upon the door style selected. The same glass options may also be available with our 24-gauge steel or 25-gauge steel doors. Please refer to the availability matrix on pages 32-33.





GLASS OPTIONS

The below chart is designed to give you a quick overview of our door and glass offering. Please refer to the specifications pages for our complete door offering, (Pages 101-105), or to the glass pages below for more information on the glass.

	Door Style	Full View			Full View 8'0"				Full Oval				3/4 Vie 2-Pane		3	/4 V 1-Pa	'iew nel		3/4 Oval						View anel		
	Glass Opening	686			612				919				607A			60	7		949					6	84		
		DO DM			DO DM				DO DM				DO		DM				DO					DO			
	Door Brand	SP FL FW FK			SP	FL	FW FK	S	SP FL			SP			SP			S	Ρ				SP	FL	FW	FK	
		ES	FS	GL		ES			ES	FS	GL	СТ	F	S GL				C	T		FS	GL	СТ	ES	FS	GL	
Glass Family	PG#																										
Paris	50		/		~				—				~			~			_								
Madison	87		/			~			-	_			~		v				_						_		
Oak Park	62		/			~			-				~			~				_							
Prairie Bevel	76		/						-	_			~			~				_					~		
Beveled Elegance	41		/													_			_								
Veranda	52		/			~			-	_			~			~				_					_		
Mediterranean	54					~							~			~			_						_		
Expressions	56		/			~				/			~		<i>v</i>				-						/		
Legacy Master	58		/			~				_			~			v			<i>·</i>				V				
Nouveau	64		/							/			~	~				~				~					
Cadence	74 75		/			v			~			✓ 			<i>v</i>				~						_		
Cirrus Avant	82		/		V								~		~			_						_			
Jacinto	77		/		V				_				~		v			_				 ✓ — 					
Heirlooms	78		/		・ ・ ・								~		· ·				-						~		
Bristol	80		/			~				_			~			v			<i>v</i>								
Entropy	42		/			~		-		_			_											_			
Impressions	38		/			~			_	_			_			_	-								~		
Catalina	39		/			~			_	_						_	-			_		_			_		
Tripoli	40		/							/			~			V								~			
Teton	88		/						_	_			~			V			~								
Radiant Hues	86		/			~			-	_			V			~	,		V					~			
Majestic	91		/			~			-	_			~			 V 			_						~		
Cut Crystal	92		/		· ·				_			_			_				_						_		
Simplicity	92		/		_				_							_			_				~				
Monterey	89		v			_			—				~		~				_						_		
Avalon	43		✓ -					_				_		_				_				~					
Blinds Between Glass	93		/			r			-	_			~	v				_				v					
Grilles Between Glass	94-95	•	/			~				_			~		~				_				~				
Vents	93	-	_						-	_			_		—				—						~		

DO = Design-Pro Oak	DM = Design-Pro	Mahogany SP = S	mooth-Pro	FL = FiberLast Smoot	h FW = Fibe	Last Woodgrain White	FK = FiberLast Woodgrain Tan			
CT = 24-Gauge Contour	s ES = 24-Gauge Er	nergy Saver FS = 2	5-Gauge FiniShield	GL = 25-Gauge Glad	iator					
1/2 View 1-Panel	1/2 View Round Top	Sunburst	Camber Top	Twin 1/2 Lite	Twin 3/4 Lite	Center Arch	9-Panel			
684	637	659	648	692	422	632	640			
DM	DO	DO	DO	DO		DO	DO			
		SP FL FW FK	SP FL FW FK	SP FL		SP				
CT	CT FS GL	CT FS GL	CT FS GL	CT FS GL	CT	CT	CT FS GL			
_	_	_	_	_	~	_	_			
-	-	_	_	-	~	_	_			
~	_	_	_	v	~	_	_			
~	-	_	—	~	~	—	—			
_	_	v	_			—	_			
_	_	_	_	_	- ~	_				
~	_	_	_	v	v	_				
~	~	_	_	~	~	_	_			
~	v	~	✓	✓	~	—	<i>v</i>			
_	-	_	_		~	—				
_	-	_	—	_	—	—	—			
<i>·</i>	_	_			_	_				
	_				~					
· ·	_	_	_	· ·	· ·	_	_			
_	-	_	_	_	_	_	_			
v	_	v	_	v	—	_	—			
_	-	_	—	_	_	—	_			
v	-	—	—	v	v	—	_			
	_	_	_		マ マ					
~	- •	_		· ·	v v	-				
_	_	_	_	-	_					
 ~	-	_	_	~	_	_	_			
_	_	—	—	—	~	—	—			
v	-	_	_	v	_	—	_			
~	_	—	—	~	—	—	—			
~	-	•	-	~	~	-	_			
~	—	—	—	—	—	—	—			



35% Recycled Content* From recycled wood fibers blended with Fiberglass.

From recycled wood fibers blended with Fiberglass. Certified by Scientific Certifications Systems for recycled content.

Supports Improved Air Quality In The Home

Meets California Air Resource Board (CARB) regulations for No Added Urea Formaldehyde (NAUF).

Saves Energy - Meets 2010 ENERGY STAR® requirements**

- * Recycled wood fiber is pre-consumer. Note recycled content percentages refer to the door slab and do not include the door frame and/or frame components.
- ** Energy performance ratings will vary with glass selection.






FiberLast fiberglass entry doors are made with a patented* technology that combines the weathering resistance and durability of fiberglass with the appearance and environmentally friendly characteristics of wood fibers.

In addition to FiberLast's environmentally friendly aspects, the doors are more dent resistant and stable in extreme heat and cold temperatures compared to standard fiberglass and steel doors.

Just How Durable is FiberLast?

FiberLast Fiberglass doors have passed a barrage of tests from dent resistance to structural performance to energy efficiency and more. In fact, FiberLast door skins even reliably pass the ASTM D1037 Accelerated Weathering test typically used on exterior products like cement board siding.



48 hour test cycle completed 6 times. Now that is durable!



Door FL-684ME Sidelight FL-692ME



Door FK8-612EN Sidelight FK8-493EN



Door FL-684LI Sidelight FL-690LI

FIBERLAST | SMOOTH, WOODGRAIN WHITE & WOODGRAIN STAINABLE TAN



FiberLast Fiberglass Door Construction



FL8-612 8'0" Full View 2'8" x 8'0" 3'0" x 8'0"





FK8-612 & FW8-612 8'0" Full View 2'8" x 8'0" 3'0" x 8'0"



FK8-607 & FW8-607 8'0" 1/2 View 2'8" x 8'0" 3'0" x 8'0"





FL8-493 8'0" Full View SL 1'0" x 8'0" 1'2" x 8'0"

FL8-422 8'0" 1/2 View SL 1'0" x 8'0" 1'2" x 8'0"



FL8-60

8'0" 6-Panel

2'8" x 8'0" 3'0" x 8'0"

FK8-60 & FW8-60



FK8-422 8'0" Full View SL


FK8-493

FW8-493

1'0" x 8'0"

1'2" x 8'0"

FW8-422 8'0" 1/2 View SL 1'0" x 8'0" 1'2" x 8'0"



The Ingredients of Durability

- A. AuraLast[®] stiles and rails. Composite bottom rail prevents moisture absorption
- B. 1-1/4" lock stile is reinforced with a full-length 2-3/4" LVL lockblock
- C. Exterior-grade primer
- D. Energy efficient core. Polyurethane foam core gives the door the feel of solid wood.



- » 1-3/4" door
- » SCS certified 35% pre-consumer recycled content*
- » AuraLast® stile and rails
- » Full length 2-3/4" LVL lockblock
- » Exterior grade primer
- » 20-minute fire rated construction available**
- * Recycled content percentages refer to the door slab and do not include the door frame and/or frame components.

Fire-Rated Doors

Our fire-rated fiberglass doors are made to meet or exceed local fire rating building codes for both residential and light commercial use.

** For true fire protection, these doors must be used with certified frames and hardware.




AuraLast





Impressions

- » Clear Bevels
- » Iced Granite Glass
- » Streamed Glass
- » Clear Renaissance Glass



Transoms

JELD-WEN.COM



Rectangular | 507Ll (Fits above 3'-0" door w/ (2) 14" sidelights) — 15-1/2" frame height

FIBERLAST[™] | *IMPRESSIONS* (*LI*)



FL-686LI FL, FW, FK Full View 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"

FL-690/694LI FK/FW-690LI Full View SL 1'0" x 6'8" 1'2" x 6'8"



FK-684LI FL, FK, FW Half View 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"

FK-692LI FL, FK, FW Half View SL 1'0" x 6'8" 1'2" x 6'8"



FL-692LI FL Twin 1/2 View 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



FK-659LI FL, FK, FW Sunburst 2'8" x 6'8" 3'0" x 6'8"





FL8-493LI FL, FK, FW 8'0" Full View SL 1'0" x 8'0" 1'2" x 8'0"





FIBERLAST[™] | *CATALINA* (*CA*)



FL-686CA FL, FK, FW Full View 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"





 FL8-612CA
 F

 FL, FK, FW
 F

 8'0" Full View
 8

 2'8" x 8'0"
 1

 3'0" x 8'0"
 1

FL8-493CA FL, FK, FW 8'0" Full View SL 1'0" x 8'0" 1'2" x 8'0"







Transoms



Glass design also available with Design-Pro, Smooth-Pro and Steel Doors. See pages 32-33 for availability

Half Round | Bronze Vein Wrought Iron | 516CA (Fits above 3'-0" door w/ (2) 14" sidelights) — 35" frame height



Patina

FIBERLAST[™] | *TRIPOLI (TP)*



FK-690TP

FW-690TP

Full View SL 1'0" x 6'8" 1'2" x 6'8"


FL-690/694TP

FK-686TP FL, FK, FW Full View 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8" FK-687TP FL, FK, FW 2'6" x 6'8"



FK-684TP FL, FK, FW Half View 3'0" x 6'8"

FK-692TP FL, FK, FW Half View SL 3'0" x 6'8"



Tripoli

- » Glue Chip Cluster Bevels
- » Glue Chip Glass
- » Alabaster Glass

Privacy Rating | 8

0

Transoms

ŀ



10

Rectangular | Patina | 507TP 15-1/2" frame height

Rectangular | Patina | 521TP (Fits above 3'-0" door w/ (2) 12" sidelights) -13-1/2" frame height



Elliptical | Patina | 503TP (Fits above 3'-0" door w/ (2) 14" sidelights) ----15-1/2" frame height


Elliptical | Patina | 578TP (Fits above 3'-0" door w/ (2) 12" sidelights) ----13-1/2" frame height



FL-692TP FL Twin 1/2 View 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



FL-919TP FL Full Oval 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



FIBERLAST[™] | *BEVELED ELEGANCE (BE)*




FK-686BE FL, FK, FW Full View 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



FL-659BE FL, FW, FK Sunburst 2'8" x 6'8" 3'0" x 6'8"






Beveled Elegance » Clear Glass

Glass design also available with Design-Pro, Smooth-Pro and Steel Doors. See pages 32-33 for availability




FIBERLAST[™] | *ENTROPY* (*EN*)



FL-686EN FL, FK, FW Full View 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8" FL-687EN FL, FK, FW 2'6" x 6'8"

FL-690/694R-EN FK/FW-690 Full View SL 1'0" x 6'8" 1'2" x 6'8"



FK-612EN

FL, FK, FW 8'0" Full View 2'8" x 8'0" 3'0" x 8'0" FK-493R-EN FL, FK, FW 8'0" Full View SL 1'0" x 8'0" 1'2" x 8'0"



Entropy

- » Clear Bevels
- » Granite Glass
- » Glacier Glass
- » Clear Renaissance Glass

Privacy Rating | 5


Transoms



Half Round | Black Chrome | 516EN (Fits above 3'-0" door w/ (2) 14" sidelights) — 35" frame height

Glass design also available with Design-Pro, Smooth-Pro and Steel Doors. See pages 32-33 for availability

$\mathsf{FIBERLAST}^{\mathsf{T}} \mid AVALON \ (AN)$



FL-686AN FL, FW, FK Full View 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



FL-692AN FL Twin 1/2 View 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



FL-690/694AN

FK/FW-690AN

Full View SL

1'0" x 6'8"

1'2" x 6'8"



FL-684AN FL, FK, FW 1/2 View 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"







Avalon

- » Clear Bevels
- » Criss Cross Glass
- » Gray Soft Wave Glass

Privacy Rating | 9



Transoms



Rectangular | Satin Nickel | 506AN (Fits above 3'-0" door w/ (2) 12" sidelights) — 15-1/2" frame height

Rectangular | Satin Nickel | 507AN (Fits above 3'-0" door w/ (2) 14" sidelights) — 15-1/2" frame height

JW



DESIGN-PRO DOOR DESIGNS

Each Design-Pro door is created to look like wood and is built with strength, stability and reliability in mind. In fact, these doors are made to stay attractive longer, with less maintenance in any climate. We've created many versatile designs in Mahogany or Oak woodgrain. Our doors coordinate with a full range of decorative glass types and sidelights. Check with your local dealer for glass, door design and size availability.

Each Design-Pro door is backed by a limited lifetime warranty; review it at **www.jeld-wen.com**.







DM-100

Flush 3'0" x 6'8"



DM-919 Full Oval 3'0" x 6'8"



DM-686 Full View 3'0" x 6'8"



DM-20 2-Panel Continental 3'0" x 6'8"



DM-607 3/4 View 3'0" x 6'8"



DM-684 1/2 View 3'0" x 6'8"



DM8-100 8'0" Flush 3'6" x 8'0"



DM8-612 8'0" Full View 3'0" x 8'0"



DM8-20 8'0" 2-Panel Continental 3'0" x 8'0"



DM8-607 8'0" 1/2 View 3'0" x 8'0"

Design-Pro Door Construction





DM-690 Full View SL 1'0" x 6'8" 1'2" x 6'8"

 DM-422
 DM-692


 3/4 View SL
 1/2 View SL

 1'0" x 6'8"
 1'0" x 6'8"

 1'2" x 6'8"
 1'2" x 6'8"



DM8-493 8'0" Full View SL 1'0" x 8'0" 1'2" x 8'0"



- A. Energy efficient core
- B. Profiled composite edge
- C. Composite bottom rail
- D. LVL stiles





- » 1-3/4" Door
- » LVL stiles and rails
- » All stiles and rails composite capped
- » Energy efficient core
- » 12" lock block
- » 20-minute fire rating construction available*

Fire-Rated Doors

Our fire-rated fiberglass doors are made to meet or exceed local fire rating building codes for both residential and light commercial use.* For true fire protection, these doors must be used with certified frames and hardware.





DESIGN-PRO | OAK WOODGRAIN





DO-100 Flush 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"

Full Oval 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



DO-686 Full View 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"

DO-687 2'6" x 6'8"



3-Panel 3'0" x 6'8"

DO-30



DO-949 3/4 Oval 3'0" x 6'8"



DOA-607 3/4 View 3'0" x 6'8"

Shown with 2-1/2" lock rail and reduced top rail of 4-1/8"



DO-40 4-Panel 3'0" x 6'8"



DO-692 Twin 1/2 View 3'0" x 6'8"



DO-40BT 4-Panel Blank Top 3'0" x 6'8"



DO-659 Sunburst 3'0" x 6'8"



DO-648 Camber Top 3'0" x 6'8"



DO-637 1/2 View Round Top 3'0" x 6'8"



DO-684 1/2 View 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"

DO-672 2'6" x 6'8"



DO-60 6-Panel 2'6" x 6'8" 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



DO-80 Center Arch 3'0" x 6'8"



Center Arch Glass 3'0" x 6'8"



DO-90 9-Panel 3'0" x 6'8" **DO-640** Center Glass 3'0" x 6'8"

DO8-100 8'0" Flush 3'0" x 8'0"



DO8-612 8'0" Full View 3'0" x 8'0" **DO8-496** 2'6" x 8'0" DO8-60

DO8-60 8'0" 6-Panel 3'0" x 8'0"



Full View SL 0'10" x 6'8"* 1'0" x 6'8" 1'2" x 6'8"

DOA-422 3/4 View SL 1'0" x 6'8" 1'2" x 6'8"

DO-692 1/2 View SL 10" x 6'8"* 1'0" x 6'8" 1'2" x 6'8"



DO8-493 8'0" Full View SL 1'0" x 8'0" 1'2" x 8'0"







Patina

Paris

- » Clear Bevels
- » Arctic Glass
- » Clear Renaissance Glass


Privacy Rating | 6



Transoms



Half Round | Patina | 516PS (Fits above 3'-0" door w/ (2) 14" sidelights) — 35" frame height



Rectangular | Patina | 507PS (Fits above 3'-0" door w/ (2) 14" sidelights) — 15-1/2" frame height

Rectangular | Patina | 521PS (Fits above 3'-0" door w/ (2) 12" sidelights) — 13-1/2" frame height

Design-Pro Mahogany





DM-686PS Full View 3'0" x 6'8"

DM-690PS Full View SL 1'0" x 6'8" 1'2" x 6'8"



DM-607PS 3/4 View 3'0" x 6'8"



DM8-612PS 8'0" Full View 3'0" x 8'0"



DM8-493PS 8'0" Full View SL 1'0" x 8'0" 1'2" x 8'0"

Design-Pro Oak



DO-686PS Full View 3'0" x 6'8"





DOA-607PS 3/4 View 3'0" x 6'8"



3/4 View SL

1'0" x 6'8" 1'2" x 6'8"

DOA-422PS 3/4 View SL 1'0" x 6'8" 1'2" x 6'8"



DO8-612PS 8'0" Full View 3'0" x 8'0"

DO8-493PS 8'0" Full View SL 1'0" x 8'0" 1'2" x 8'0"




Easy to open and clean



Veranda

- » External Wrought Iron Grille
- » Low-E Micro-Granite Glass

Privacy Rating | 9



RUST-RESISTANT FINISH



HIDDEN LATCH



DECORATIVE SCREW HOLE PLUGS



Design-Pro Mahogany





DM-686VR Full View 3'0" x 6'8"

DM-690VR Full View SL 1'0" x 6'8" 1'2" x 6'8"



DM-607VR 3/4 View 3'0" x 6'8"



DM8-612VR 8'0" Full View 3'0" x 8'0"

DM8-493VR 8'0" Full View SL 1'0" x 8'0" 1'2" x 8'0"

Design-Pro Oak



DO-686VR Full View 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"

DO-690VR Full View SL 1'0" x 6'8" 1'2" x 6'8"




DOA-607VR 3/4 View 3'0" x 6'8"



DO8-612VR 8'0" Full View 3'0" x 8'0"

DO8-493VR 8'0" Full View SL 1'0" x 8'0" 1'2" x 8'0"







Mediterranean » Wrought Iron Between Glass » Arctic Glass

Privacy Rating | 8



Transoms

Rectangular | 506MD (Fits above 3'-0" door w/ (2) 12" sidelights) — 13-1/2" frame height

Rectangular | 507MD (Fits above 3'-0" door w/ (2) 14" sidelights) — 15-1/2" frame height

Design-Pro Mahogany



DM-686MD Full View 3'0" x 6'8"



DM-690MD Full View SL 1'0" x 6'8" 1'2" x 6'8"



DM-607MD 3/4 View 3'0" x 6'8"

DM-422MD 3/4 View SL 1'0" x 6'8" 1'2" x 6'8"



DM8-612MD 8'0" Full View 3'0" x 8'0"

DM8-493MD 8'0" Full View SL 1'0" x 8'0" 1'2" x 8'0"

Design-Pro Oak



DO-686MD Full View 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"






DOA-607MD 3/4 View 3'0" x 6'8"

DOA-422MD 3/4 View SL 1'0" x 6'8" 1'2" x 6'8"



DO8-612MD 8'0" Full View 3'0" x 8'0"


DO8-493MD 8'0" Full View SL 1'0" x 8'0" 1'2" x 8'0"





Expressions » Clear Bevels

- » Granite Glass
- » Gray Renaissance Glass
- » Glay Kellaissance G



Transoms



Half Round | Brass or Satin Nickel | 516EX (Fits above 3'-0" door w/ (2) 14" sidelights) — 35" frame height



Segment | Brass or Satin Nickel | 532EX (Fits above 3'-0" door w/ (2) 12" sidelights) — 15-1/2" frame height



Rectangular | Brass Only | 506EX (Fits above 3'-0" door w/ (2) 12" sidelights) — 15-1/2" frame height

Rectangular | Brass or Satin Nickel | 507EX (Fits above 3'-0" door w/ (2) 14" sidelights) — 15-1/2" frame height

Rectangular | Brass or Satin Nickel | 521EX (Fits above 3'-0" door w/ (2) 12" sidelights) — 13-1/2" frame height



Rectangular | Brass Only | 517EX (Fits above 3'-0" door) — 13-1/2" frame height

DESIGN-PRO | *EXPRESSIONS* (*EX*)

Design-Pro Mahogany





DM-686EX Full View 3'0" x 6'8"



DM-607EX 3/4 View 3'0" x 6'8" **DM-422EX D** 3/4 View SL 1/ 1'0" x 6'8" 3' 1'2" x 6'8"



DM-684EX 1/2 View 3'0" x 6'8"



DM8-612EX

3'0" x 8'0"

8'0" Full View

DM8-493EX 8'0" Full View SL 1'0" x 8'0" 1'2" x 8'0"

Design-Pro Oak



DO-686EX Full View 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"
 DO-690/694EX
 DO-919EX

 Full View SL
 Full Oval

 1'0" x 6'8"
 3'0" x 6'8"

 1'2" x 6'8"
 3'0" x 6'8"

Full View SL 1'0" x 6'8" 1'2" x 6'8"

DO-687EX (Brass Only) 2'6" x 6'8"



DO8-612EX 8'0" Full View 3'0" x 8'0"

D08-493EX 8'0" Full View SL 1'0" x 8'0" 1'2" x 8'0"

Glass design also available with FiberLast[™], Smooth-Pro and Steel Doors. See pages 32-33 for availability

X



DOA-422EX 3/4 View SL 1'0" x 6'8" 1'2" x 6'8"

R



DM-692EX

1/2 View SL

1'0" x 6'8" 1'2" x 6'8"

DO-684EX 1/2 View 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"

DO-692EX 1/2 View SL 1'0" x 6'8" 1'2" x 6'8"



DO-692EX Twin 1/2 View 3'0" x 6'8"







Legacy Master » Clear Cluster Bevels » Gray & Clear Renaissance Glass

Privacy Rating | 7



Transoms

0



Rectangular | Patina Only | 506LM (Fits above 3'-0" door w/ (2) 12" sidelights) — 15-1/2" frame height

Rectangular | Patina Only | 507LM (Fits above 3'-0" door w/ (2) 14" sidelights) — 15-1/2" frame height

Rectangular | Patina Only | 521LM (Fits above 3'-0" door w/ (2) 12" sidelights) — 13-1/2" frame height



Rectangular | Patina Only | 517LM (Fits above 3'-0" door) — 13-1/2" frame height

Design-Pro Mahogany



DM-686LM Full View 3'0" x 6'8"

DM-690LM Full View SL 1'0" x 6'8" 1'2" x 6'8"



 DM-607LM
 DM-422LM

 3/4 View
 3/4 View SL

 3'0" x 6'8"
 1'0" x 6'8"

 1'2" x 6'8"
 1'2" x 6'8"

DM-684LM 1/2 View 3'0" x 6'8"



DM-692LM 1/2 View SL 1'0" x 6'8" 1'2" x 6'8"



8'0" Full View 3'0" x 8'0"

DM8-493LM 8'0" Full View SL 1'0" x 8'0" 1'2" x 8'0"

Design-Pro Oak



DO-690/

Full View SL 1'0" x 6'8" 1'2" x 6'8"

694LM

DO-686LM Full View 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"

DO-949LM 3/4 Oval 3'0" x 6'8"



DOA-607LM 3/4 View 3'0" x 6'8"



DO-692LM Twin 1/2 View 3'0" x 6'8"

DOA-422LM

3/4 View SL

1'0" x 6'8" 1'2" x 6'8"



DO-637LM 1/2 View Round Top 3'0" x 6'8" (Brass Only)



DO-684LM Twin 1/2 View 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



DO8-612LM


8'0" Full View 3'0" x 8'0"

DO8-493LM 8'0" Full View SL 1'0" x 8'0" 1'2" x 8'0"

Glass design also available with FiberLast[™], Smooth-Pro and Steel Doors. See pages 32-33 for availability



59





Oak Park

- » Clear Bevels
- » Crinkle Glass
- » Thin Reed Glass
- » Seedy Glass

Privacy Rating | 5



Transoms



Rectangular | Patina | 506KP (Fits above 3'-0" door w/ (2) 12" sidelights) — 15-1/2" frame height

Rectangular | Patina | 507KP (Fits above 3'-0" door w/ (2) 14" sidelights) — 15-1/2" frame height

Rectangular | Patina | 521KP (Fits above 3'-0" door w/ (2) 12" sidelights) — 13-1/2" frame height

Design-Pro Mahogany



Full View

3'0" x 6'8"





DM-607KP 3/4 View 3'0" x 6'8"

Full View SL

1'0" x 6'8"

1'2" x 6'8"

1'0" x 6'8" 1'2" x 6'8"



DM-422KP DM-684KP 3/4 View SL 1/2 View 3'0" x 6'8"

DM-692KP 1/2 View SL 1'0" x 6'8" 1'2" x 6'8"

DM8-612KP

8'0" Full View 3'0" x 8'0"

DM8-493KP 8'0" Full View SL 1'0" x 8'0" 1'2" x 8'0"

Design-Pro Oak

Full View

2'8" x 6'8"

2'10" x 6'8"

3'0" x 6'8"



3/4 View SL

1'0" x 6'8"

1'2" x 6'8"

1/2 View

2'8" x 6'8"

3'0" x 6'8"

2'10" x 6'8"

3/4 View SL 1'0" x 6'8" 1'2" x 6'8"

THE

DO8-612KP 8'0" Full View 3'0" x 8'0"



W

DESIGN-PRO

Glass design also available with FiberLast[™], Smooth-Pro and Steel Doors. See pages 32-33 for availability

3/4 View

3'0" x 6'8"

Full View SL

1'0" x 6'8"

1'2" x 6'8"










Nouveau

- » Clear Cluster Bevels
- » Glue Chip Glass

Privacy Rating | 6



Transoms



Rectangular | Nickel, Patina or Brass | 507MN (Fits above 3'-0" door w/ (2) 14" sidelights) — 15-1/2" frame height

Rectangular | Nickel, Patina or Brass | 521MN (Fits above 3'-0" door w/ (2) 12" sidelights) — 13-1/2" frame height



Segment | Nickel, Patina or Brass | 532MN (Fits above 3'-0" door w/ (2) 12" sidelights) — 15-1/2" frame height



Elliptical | Nickel, Patina or Brass | 578MN (Fits above 3'-0" door w/ (2) 12" sidelights) — 13-1/2" frame height



Elliptical | Nickel, Patina or Brass | 503MN (Fits above 3'-0" door w/ (2) 14" sidelights) — 15-1/2" frame height

Glass design also available with FiberLast[™], Smooth-Pro and Steel Doors. See pages 32-33 for availability

DESIGN-PRO | NOUVEAU (MN)

Design-Pro Mahogany



DM-686MN Full View 3'0" x 6'8"



Design-Pro Oak



DO-686MN Full View 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"

DO-659MN

Sunburst

3'0" x 6'8"

 \square



DM-919MN

Full Oval

3'0" x 6'8"

DO-690/694MN DO-919MN Full Oval 3'0" x 6'8" Full View SL 1'0" x 6'8" 1'2" x 6'8"



DO-648MN Camber Top 3'0" x 6'8"



DO-637MN 1/2 View Round Top 3'0" x 6'8"



DM-607MN 3/4 View 3'0" x 6'8"



DM-422MN 3/4 View SL 1/2 View 1'0" x 6'8" 1'2" x 6'8" 3'0" x 6'8"



DM-692MN 1/2 View SL 1'0" x 6'8" 1'2" x 6'8"





3'0" x 6'8"

DOA-949MN





DOA-607MN 3/4 View 3'0" x 6'8"

DO-684MN

2'8" x 6'8" 2'10" x 6'8"

3'0" x 6'8"

1/2 View




DO-692MN

1/2 View SL

1'0" x 6'8" 1'2" x 6'8"



DO-640MN Center Glass



DESIGN-PRO | *DOORGLASS BLINDS (TRLB)*

Design-Pro Mahogany



DM-686TRLB Full View 3'0" x 6'8"



DM-684TRLB 3/4 View 3'0" x 6'8"



Doorglass Blinds

- » Raise, Lower and Tilt
- » No dusting. Blinds are sealed between tempered safety glass.
- » LightTouch[®] control raises and lowers the blind
- » Fingertip tilt control
- » Tan color

Design-Pro Oak



DO-686TRLB Full View 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8" **DO-687TRLB** 2'6" x 6'8"



DO-684TRLB 1/2 View 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"

🥝 = Available in Low-E glass

Glass design also available with FiberLast[™], Smooth-Pro and Steel Doors. See pages 32-33 for availability







Simulated Divided Lites » Traditional Style 1-1/8" grille » Low-E Glass 🧭

Privacy Rating | 1

-1 10 DM-406SDL

3/4 View

2-Lite SL

1'0" x 6'8" 1'2" x 6'8"

Design-Pro Mahogany



DM-679SDL Full View 8-Lite 3'0" x 6'8"

DM-479SDL Full View 4-Lite SL 1'0" x 6'8" 1'2" x 6'8"



DM-606SDL 3/4 View 4-Lite 3'0" x 6'8"



DM-646SDL 3/4 View 6-Lite 3'0" x 6'8"



Design-Pro Oak



DO-679SDL Full View 8-Lite 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"

Full View 4-Lite SL 1'0" x 6'8" 1'2" x 6'8"







DO-606SDL 3/4 View 4-Lite 3'0" x 6'8"

DO-406SDL 3/4 View 2-Lite SL 1'0" x 6'8" 1'2" x 6'8"



DO-646SDL 3/4 View 6-Lite 3'0" x 6'8"

DO-446SDL 3/4 View 3-Lite SL 1'0" x 6'8" 1'2" x 6'8"





SMOOTH-PRO DOOR DESIGNS

Each Smooth-Pro door is made to be durable, energy efficient and affordable. | The smooth surface can be painted any color, and designs can be enhanced with various glass types. Check with your local dealer for glass, door design and size availability.

Each Smooth-Pro door is backed by a limited lifetime warranty; review it at **www.jeld-wen.com**.




SMOOTH-PRO





SPA-607 2-Panel 3/4 View 3'0" x 6'8" Shown with 2-1/2" lock rail and reduced top rail of 4-1/8"



SP-60 6-Panel 2'6" x 6'8" 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



SP-40

4-Panel

3'0" x 6'8"

SP-80 8-Panel Center Arch 3'0" x 6'8"

SP-40BT 4-Panel Blank Top 3'0" x 6'8"

SP-659 Sunburst 3'0" x 6'8"

SP-648 Camber Top 3'0" x 6'8"





SP-692 Twin 1/2 View 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8" SP-400

2'6" x 6'8"



SP-672 2'6" x 6'8"

SP-632 Center Arch Glass 3'0" x 6'8"

Smooth-Pro Door Construction



SP8-100 8'0" Flush 3'0" x 8'0"












SPA-607

SP-692 1/2 View SL 10" x 6'8"* 1'0" x 6'8" 1'2" x 6'8"

SP8-493 8'0" Full View SL 1'0" x 8'0" 1'2" x 8'0"



- A. Energy efficient core
- B. Composite bottom rail
- C. LVL stiles
- D. Profiled composite edge



- » 1-3/4" Door
- » LVL stiles and rails
- » All stiles and rails composite capped
- » Energy efficient core
- » 12" lock block
- » 20-minute fire rating construction available*

Fire-Rated Doors

Our fire-rated fiberglass doors are made to meet or exceed local fire rating building codes for both residential and light commercial use.* For true fire protection, these doors must be used with certified frames and hardware.





panel is 10-1/2" tall.

Matches

SP-607



Patina



Cadence » Clear Bevel Cluster

» Hammered Glass

» Ripple Glass

Privacy Rating | 6

Transoms



Half Round | Patina | 516CD (Fits above 3'-0" door w/ (2) 14" sidelights) — 35" frame height



Segment | Patina | 532CD (Fits above 3'-0" door w/ (2) 12" sidelights) — 15-1/2" frame height

SMOOTH-PRO | *CADENCE* (*CD*)



SP-686CD Full View 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"

SP-690/694CD Full View SL 1'0" x 6'8" 1'2" x 6'8"



SP-919CD Full Oval 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



SP-607CD 3/4 View 3'0" x 6'8"

SP-422CD 3/4 View SL 1'0" x 6'8" 1'2" x 6'8"



SPA-422CD 3/4 View SL 1'0" x 6'8" 1'2" x 6'8"

Also available as 2-Panel SPA-607 door with SPA-422 sidelight




Glass design also available with FiberLast[™], Design-Pro and Steel Doors. See pages 32-33 for availability

SP8-612CD 8'0" Full View 3'0" x 8'0" **SP8-493CD** 8'0" Full View SL 1'0" x 8'0" 1'2" x 8'0"

SMOOTH-PRO | CIRRUS (CR)







SL

SP-690/ 694R-CR Full View SL 1'0" x 6'8" 1'2" x 6'8"



SP8-493L-SP8-612CR 8'0" Full View 3'0" x 8'0" CR 8'0" Full View SL 1'0" x 8'0" 1'2" x 8'0"

SP8-493R-CR 8'0" Full View SL 1'0" x 8'0" 1'2" x 8'0"





Chrome Cirrus » Iced Granite Glass » Thin Reed Glass Privacy Rating | 8 10





Rectangular | Chrome | 507CR (Fits above 3'-0" door w/ (2) 14" sidelights) — 15-1/2" frame height









SMOOTH-PRO | *PRAIRIE BEVEL (PR)*



SP-686PR Full View 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



SP-690/694PR Full View SL 1'0" x 6'8" 1'2" x 6'8"



SP-422PR 3/4 View SL 1'0" x 6'8" 1'2" x 6'8"

Also available as 2-Panel SPA-607 door with SPA-422 sidelight

3/4 View 3'0" x 6'8"






Prairie Bevel

- » Clear Bevels
- » Thin Reed Glass
- » Eaton Glass

Privacy Rating | 8



Transoms

A GUL		
	a because of the second se	-
SINKCO.		
	New St	

Rectangular | Patina | 506PR (Fits above 3'-0" door w/ (2) 12" sidelights) — 15-1/2" frame height

Rectangular | Patina | 507PR (Fits above 3'-0" door w/ (2) 14" sidelights) — 15-1/2" frame height



SP-684PR 1/2 View 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"

SP-692PR 1/2 View SL 1'0" x 6'8" 1'2" x 6'8"



SP-692PR Twin 1/2 View 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"

SMOOTH-PRO | *JACINTO* (*JA*)



SP-686JA Full View 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"

SP-687JA 2'6" x 6'8"



 SP-690/694JA
 SP-607JA

 Full View SL
 3/4 View


 1'0" x 6'8"
 3'0" x 6'8"

 1'2" x 6'8"
 3'0" x 6'8"



SP-422JA 3/4 View SL 1'0" x 6'8" 1'2" x 6'8"

Also available as 2-Panel SPA-607 door with SPA-422 sidelight



Wrought Iron




Jacinto » Arctic Glass

Privacy Rating | 8

0 10

Transoms



Rectangular | Wrought Iron | 507JA (Fits above 3'-0" door w/ (2) 14" sidelights) — 15-1/2" frame height

Rectangular | Wrought Iron | 521JA

(Fits above 3'-0" door w/ (2) 12" sidelights) — 12-1/2" frame height



Segment | Wrought Iron | 532JA (Fits above 3'-0" door w/ (2) 12" sidelights) — 15-1/2" frame height



SP8-612JA 8'0" Full View 3'0" x 8'0"



Glass design also available with FiberLast^{**}, Design-Pro and Steel Doors. See pages 32-33 for availability






Heirlooms

- » Clear Cluster Bevels
- » Glue Chip Glass
- » Granite Glass

Privacy Rating | 6



Transoms



Half Round | Brass or Satin Nickel | 516HM (Fits above 3'-0" door w/ (2) 14" sidelights) — 35" frame height



Rectangular | Brass or Satin Nickel | 506HM (Fits above 3'-0" door w/ (2) 12" sidelights) — 15-1/2" frame height

Rectangular | Brass or Satin Nickel | 507HM (Fits above 3'-0" door w/ (2) 14" sidelights) — 15-1/2" frame height

Rectangular | Brass or Satin Nickel | 521HM (Fits above 3'-0" door w/ (2) 12" sidelights) — 13-1/2" frame height



Elliptical | Brass or Satin Nickel | 503HM (Fits above 3'-0" door w/ (2) 14" sidelights) — 15-1/2" frame height Elliptical | Brass or Satin Nickel | 578HM (Fits above 3'-0" door w/ (2) 12" sidelights) — 13-1/2" frame height



Segment | Brass or Satin Nickel | 532HM (Fits above 3'-0" door w/ (2) 12" sidelights) — 15-1/2" frame height



Rectangular | Satin Nickel Only | 517HM (Fits above 3'-0" Door) — 13-1/2" frame height

SMOOTH-PRO | *HEIRLOOMS* (*HM*)



SP-919HM Full Oval 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



SP-686HM Full View 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"

Full View SL 1'0" x 6'8" 1'2" x 6'8"



SP-690/694HM SP-636HM Full View Round Top 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



SP-607HM 3/4 View 3'0" x 6'8"

SP-422HM 3/4 View SL 1'0" x 6'8" 1'2" x 6'8"

SP-692HM

1/2 View SL

1'0" x 6'8" 1'2" x 6'8"

Also available as 2-Panel SPA-607 door with SPA-422 sidelight



SP-949HM 3/4 Oval 3'0" x 6'8"



2'10" x 6'8" 3'0" x 6'8"



SP-659HM Sunburst 3'0" x 6'8"



SP-684HM 1/2 View 2'8" x 6'8" 2'10" x 6'8"

3'0" x 6'8"



SP-632HM Center Arch Glass 3'0" x 6'8"






SP8-612HM 8'0" Full View 3'0" x 8'0"


SP8-493HM 8'0" Full View SL 1'0" x 8'0" 1'2" x 8'0"

Glass design also available with FiberLast[™], Design-Pro and Steel Doors. See pages 32-33 for availability

JW

77





Satin Nickel

Transoms



. 10

Rectangular | Satin Nickel or Brass | 506BT (Fits above 3'-0" door w/ (2) 12" sidelights) — 15-1/2" frame height

SMOOTH-PRO | *BRISTOL* (*BT*)



SP-686BT Full View 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"

SP-690/694BT Full View SL 1'0" x 6'8" 1'2" x 6'8"



SP-422BT 3/4 View 1'0" x 6'8" 1'2" x 6'8"

Also available as 2-Panel SPA-607 door with SPA-422 sidelight

SP-607BT

3'0" x 6'8"

SP8-612BT

8'0" Full View 3'0" x 8'0"

3/4 View



SP-949BT

3'0" x 6'8"

3/4 Oval

SPA-422BT 3/4 View SL 1'0" x 6'8" 1'2" x 6'8"




SP-692BT Twin 1/2 View 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



SP-684BT 1/2 View 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"

SP-692BT 1/2 View 1'0" x 6'8" 1'2" x 6'8"



SP8-493BT 8'0" Full View SL 1'0" x 8'0" 1'2" x 8'0"




Black



Avant » Clear Cluster Bevels

- » Eaton Glass
- » Granite Glass



Transoms



Elliptical | Black Chrome | 578AV (Fits above 3'-0" door w/ (2) 12" sidelights) — 15-1/2" frame height

SMOOTH-PRO | AVANT (AV)



SP-686AV Full View 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"

 SP-690/694AV
 SP-607AV

 Full View SL
 3/4 View

 1'0" x 6'8"
 3'0" x 6'8"

 1'2" x 6'8"
 3'0" x 6'8"



SP-422AV 3/4 View SL 1'0" x 6'8" 1'2" x 6'8"

Also available as 2-Panel SPA-607 door with SPA-422 sidelights





SP-684AV

2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"

1/2 View

SP-692AV 1/2 View SL 1'0" x 6'8" 1'2" x 6'8"



SP8-612AV 8'0" Full View 3'0" x 8'0"

SP8-493AV 8'0" Full View SL 3'0" x 8'0"



Every JELD-WEN® Steel exterior door is durable and affordable. | They include wood stiles and rails with mitered top corners to prevent water absorption. Galvanized exterior door facings are factory-primed with neutral, low-sheen, baked-on enamel primer for easy finishing. Our wide range of steel doors include designs with beautiful decorative glass, popular grille patterns, textured glass, or blinds between glass. Additionally, all standard glass designs fit these doors. Please check with your local dealer for glass, door design and size availability.

Each JELD-WEN Steel door is backed by a 10-year limited warranty; review it at www.jeld-wen.com.

24-GAUGE STEEL DOORS

Contours[™] Designs (CT)

These doors feature a tough, 24-gauge galvanized steel skin that features our exclusive beaded sticking profile. They're available with an optional steel edge that delivers added security and a fire rating of up to 90 minutes.

Energy Saver® Designs (ES)

In addition to a strong, 24-gauge galvanized steel door facing, these doors feature a classic panel design and are available with an optional steel edge for increased security and a fire rating of up to 90 minutes.


25-GAUGE STEEL DOORS

Gladiator[®] Designs (GL)

Our Gladiator collection includes construction-grade steel doors with durable 25-gauge steel skins.

FiniShield[®] Designs (FS)

These economical steel doors have 25-gauge steel skins with two coats of baked-on enamel and are covered in a prefinished seven-mil layer of oak-textured vinyl.



Gladiator Profile FiniShield Profile





STEEL



СОМ

CT = Contours GL = Gladiator

2-Panel Designs - accepts 1/2 View 22 x 36 doorglass





CT-22 СТ 2-Panel 2'8" x 6'8" 3'0" x 6'8"

CT-20 CT 2-Panel Arch Top 2'8" x 6'8" 3'0" x 6'8"



ES-690/694 ES, FS Full View SL 1'0" x 6'8" 1'2" x 6'8"

CT-422 CT, GL 3/4 View SL 1'0" x 6'8" 1'2" x 6'8"

CT-692 CT, FS, GL 1/2 View SL 1'0" x 6'8" 1'2" x 6'8"



ES8-100 ES 8'0" Flush 8 0 FIUST 2'0" x 8'0" 2'6" x 8'0" 2'8" x 8'0" 3'0" x 8'0"



ES8-612 ES 8'0" Full View 2'8" x 8'0" 3'0" x 8'0" ES8-496 2'6" x 8'0"



CT-24 СТ 2-Panel V-groove Arch Top 2'8" x 6'8" 3'0" x 6'8"

ES8-493

1'0" x 8'0" 1'2" x 8'0"

ES8-60

8'0" 6-Panel

2'6" x 8'0"

2'8" x 8'0" 3'0" x 8'0"

ES

8'0" Full View SL

FS



2-Panel V-groove Arch Top



Steel Door Construction


CONTOURS[™] STEEL/ **ENERGY SAVER® STEEL**

- 1-3/4" Door
- LVL stiles and rails
- Steel bottom rail
- Energy efficient core
- 24-gauge steel facing
- Optional steel edge with 24-gauge steel facing
- 12" lock block
- 20-minute fire rating construction available*



GLADIATOR® STEEL/ FINISHIELD® STEEL

- 1-3/4" Door
- LVL stiles and rails
- Steel bottom rail
- Energy efficient core
- 25-gauge steel facing*
- 12" lock block
- *FiniShield features 25-gauge steel skin with 7-mil woodgrain textured vinyl




Fire-Rated Doors

Our fire-rated fiberglass doors are made to meet or exceed local fire rating building codes for both residential and light commercial use.* For true fire protection, these doors must be used with certified frames and hardware.





















ES-686RA ES, FS Full View 2'8" x 6'8" 3'0" x 6'8"

 ES-690/
 CT-949RA

 694RA
 CT, FS, GL

 ES, FS
 3/4 Oval

 Full View SL
 2'8" x 6'8"

 1'0" x 6'8"
 3'0" x 6'8"

CTA-607RA CT, FS, GL 3/4 View 2'8" x 6'8" 3'0" x 6'8"


CT-422RA CT, GL 3/4 View SL 1'0" x 6'8" 1'2" x 6'8"




Radiant Hues

- » Clear Bevels
- » Clear Renaissance Glass
- » Gray Renaissance Glass

Privacy Rating | 6



Transoms



Rectangular | Nickel | 506RA (Fits above 3'-0" door w/ (2) 12" sidelights) — 15-1/2" frame height

Rectangular | Nickel | 507RA (Fits above 3'-0" door w/ (2) 14" sidelights) — 15-1/2" frame height

Rectangular | Nickel | 521RA (Fits above 3'-0" door w/ (2) 12" sidelights) — 13-1/2" frame height



Rectangular | Nickel | 517RA (Fits above 3'-0"door) — 13-1/2" frame height



CTA-422RA

2'8" x 6'8" 3'0" x 6'8"

CT Twin 3/4 View



CT-692RA CT, ES, FS, GL Twin 1/2 View 2'8" x 6'8" 3'0" x 6'8"

CT-684RA CT, ES, FS, GL 1/2 View 2'8" x 6'8" 3'0" x 6'8"



CT-692RA CT, ES, FS, GL 1/2 View SL 1'0" x 6'8" 1'2" x 6'8"



CT-632RA CT Center Arch Glass 2'8" x 6'8" 3'0" x 6'8"



ES8-612RA ES 8'0" Full View 2'8" x 8'0" 3'0" x 8'0"

ES8-493RA ES 8'0" Full View SL 1'0" x 8'0" 1'2" x 8'0"

Glass design also available with FiberLast[™], Design-Pro and Smooth-Pro Doors. See pages 32-33 for availability

STEEL | *MADISON (MI)*






CTA-422MI

Twin 3/4 View

CT

ES-686MI ES, FS, GL Full View 2'8" x 6'8" 3'0" x 6'8"

ES-690/694MI ES, FS Full View SL 1'0" x 6'8" 1'2" x 6'8" 2'8" x 6'8" 3'0" x 6'8"



CTA-607MI CT, FS, GL 3/4 View 2'8" x 6'8" 3'0" x 6'8"

CT-422MI CT, GL 3/4 View SL 1'0" x 6'8" 1'2" x 6'8"



ES8-493MI ES 8'0" Full View 1'0" x 6'8" 1'2" x 6'8"



Nickel Vein Wrought Iron



Madison » Micro-Cubed Glass

Privacy Rating | 9

(+)-I 10 0





Nickel

Teton

- » Clear Bevels
- » Thin Reed Glass
- » Cubed Glass

Privacy Rating | 7



Transoms

JELD-WEN.COM



Elliptical | Satin Nickel | 503TE (Fits above 3'-0" door w/ (2) 14" sidelights) — 15-1/2" frame height

STEEL | *TETON (TE)*





ES-686TE ES, FS, GL Full View 2'8" x 6'8" 3'0" x 6'8"

ES-690/694TE ES, FS Full View SL 1'0" x 6'8" 1'2" x 6'8"



CT-949TE CT, FS, GL 3/4 Oval 2'8" x 6'8" 3'0" x 6'8"



CTA-607TE CT, FS, GL 3/4 View 2'8" x 6'8" 3'0" x 6'8"

CT-422TE CT, GL 3/4 View SL 1'0" x 6'8" 1'2" x 6'8"

CT Twin 3/4 View 2'8" x 6'8" 3'0" x 6'8"

Glass design also available with FiberLast[™], Design-Pro and Smooth-Pro Doors. See pages 32-33 for availability

STEEL | *MONTEREY* (*MO*)



ES-686MO ES, FS, GL Full View 2'8" x 6'8" 3'0" x 6'8"





CTA-422MO CT Twin 3/4 View 2'8" x 6'8" 3'0" x 6'8"

СТ-422МО
CT, GL
3/4 View SL
1'0" x 6'8"
1'2" x 6'8"



CTA-607MO CT, FS, GL 3/4 View 2'8" x 6'8" 3'0" x 6'8"





atina	


Monterey

- » Clear Bevels» Granite Glass
- » Micro-Granite Glass

Privacy Rating | 7



Transoms



Rectangular | Patina or Satin Nickel | 507MO (Fits above 3'-0" door w/ (2) 14" sidelights) — 15-1/2" frame height





STEEL | *MAJESTIC* (*ME*)



ES-686ME ES, FS, GL Full View 2'8" x 6'8" 3'0" x 6'8" ES-687ME



687 not available in patina

ES-690/ CTA-607ME CT, FS, GL 3/4 View 2'8" x 6'8" 3'0" x 6'8" Full View SL 1'0" x 6'8" 1'2" x 6'8"

694ME

ES, FS



CT-422ME CT, GL 3/4 View SL 1'0" x 6'8" 1'2" x 6'8"



CTA-422ME CT Twin 3/4 View 2'8" x 6'8" 3'0" x 6'8"



CT-692ME CT, ES, FS, GL Twin 1/2 View 2'8" x 6'8" 3'0" x 6'8"



CT-637ME CT, GL, FS 1/2 View Round Top 2'8" x 6'8" 3'0" x 6'8"



CT-684ME CT, ES, FS, GL 1/2 View 2'8" x 6'8" 3'0" x 6'8"

CT-692ME CT, ES, FS, GL 1/2 View SL 1'0" x 6'8" 1'2" x 6'8"



CT-640ME CT, FS, GL Center Glass 2'8" x 6'8" 3'0" x 6'8"



ES8-612ME ES 8'0" Full View 2'8" x 8'0" 3'0" x 8'0"



ES8-493ME CT, ES 8'0" Full View SL 1'0" x 8'0" 1'2" x 8'0"







Majestic

- » Glue Chip Bevels
- » Glue Chip Glass
- » Gray Soft Wave Glass

Privacy Rating | 8



Transoms



Rectangular | Nickel or Brass | 506ME (Fits above 3'-0" door w/ (2) 12" sidelights) — 15-1/2" frame height

Rectangular | Nickel or Brass | 507ME (Fits above 3'-0" door w/ (2) 14" sidelights) — 15-1/2" frame height

Rectangular | Patina, Nickel or Brass | 521ME (Fits above 3'-0" door w/ (2) 12" sidelights) — 13-1/2" frame height



Elliptical | Patina, Nickel or Brass | 578ME (Fits above 3'-0" door w/ (2) 12" sidelights) — 13-1/2" frame height Elliptical | Nickel or Brass | 503ME (Fits above 3'-0" door w/ (2) 14" sidelights) — 15-1/2" frame height



W







STEEL | CUT CRYSTAL (CC)



ES-686CC ES, FS, GL Full View 2'8" x 6'8" 3'0" x 6'8"

CT-690/694CC ES, FS Full View SL 1'0" x 6'8" 1'2" x 6'8"



ES8-612CC ES 8'0" Full View 2'8" x 8'0" 3'0" x 8'0"





Simplicity » Grooved Glass

» Frosted Glass



STEEL | *SIMPLICITY* (*SM*)



Glass design also available with FiberLast[™], Design-Pro and Smooth-Pro Doors. See pages 32-33 for availability

FIBERLAST[™], DESIGN-PRO, SMOOTH-PRO & STEEL | BLINDS BETWEEN GLASS

Triple Glazed **Blinds Between Glass**





686BLD Full View 2'8" x 6'8" 3'0" x 6'8"

684BLD 1/2 View 2'8" x 6'8" 3'0" x 6'8"

Blinds Between Glass



686RLB Full View 2'8" x 6'8" 3'0" x 6'8"

687RLB 2'6" x 6'8"



2'8" x 6'8" 3'0" x 6'8"

Not available in FiberLast



684-CGBGBLD

9-Light

2'8" x 6'8" 3'0" x 6'8"

Triple Glazed Blinds

with Grilles

686-CGBGBLD

10-Light

2'8" x 6'8" 3'0" x 6'8"

684RLB 1/2 View 2'8" x 6'8" 3'0" x 6'8" 672RLB 2'6" x 6'8"



SP-692RLB SP8-612RLB 1/2 View SL 1'0" x 6'8" 1'2" x 6'8"

Full View SL 2'8" x 8'0" 3'0" x 8'0" 496RLB

686-CGBGBLD

15-Light

2'8" x 6'8" 3'0" x 6'8"

2'6" x 8'0"

Venting Door Glass - Lets in fresh air

Full View SL

1'0" x 6'8" 1'2" x 6'8"



799CL 1/2 View 2'8" x 6'8" 3'0" x 6'8"



799RN 1/2 View 2'8" x 6'8" 3'0" x 6'8"



799GBG 1/2 View 2'8" x 6'8" 3'0" x 6'8"




799GBG/RN 1/2 View 2'8" x 6'8" 3'0" x 6'8"



Blinds Between Glass

- » Raise, Lower and Tilt Blinds
- » No dusting
- » Available in Low-E glass
- » Triple Glazed design reduces heat transmission by 28%

Privacy Rating | 1 / 5 / 10










🕝 = Low-E RN = Rain glass

GRILLES BETWEEN THE GLASS (GBG) & CLEAR DOORGLASS



Door designs shown with clear glass inserts. The following glass inserts are available for FiberLast^{**}, Design-Pro, Smooth-Pro, and Contours^{**}, Energy Saver[®], Gladiator[®], and FiniShield[®] steel doors. See door pages for door style availability.



Available with Low-E CB = Contoured Bar 11/16" SLB = Slim Line Bar 5/16" WB = Wide Bar 7/8" SB = Standard Bar 5/8" WPB = Wide Prairie Style Bar 7/8" PB = Prairie Style Bar 5/8" PG = Privacy Glass CL = Clear FX = Fixed External Grilles

FIXED GRILLES AND CLEAR DOORGLASS



8 Foot Options










Clear Glass Transom







515CL (3'-0" door w/ (2) 12" sidelights) 516CL (3'-0" door w/ (2) 14" sidelights)





505/517/525-GBG 3-light

GBG,

CLEAR GLASS

ø

GRILLES

If you live near the coast or in an area prone to hurricanes, your home is subject to harsh and potentially dangerous conditions. That's why your door choices are crucial to your home's survival.

JELD-WEN offers select door systems with features that allow them to stand up to salt air, coastal moisture, severe winds and the dangerous wind borne debris from hurricanes.

The doorglass used in our door systems is certified for use in various entry systems to meet Florida and Texas code requirements. The glass is also designed to maximize natural light, making it an attractive alternative to hurricane shutters.

Visit www.jeld-wen.com and your JELD-WEN dealer for specific details on door systems requiring coastal certifications.



Impact Rated Opaque Doors



ES-100 ES Flush 2'0" x 6'8" ES, FS, GL 2'6" x 6'8" 2'8" x 6'8" 3'0" x 6'8"



CT-30 CT 3-Panel 2'8" x 6'8" 3'0" x 6'8"



ES-40 ES 4-Panel 2'8" x 6'8" 3'0" x 6'8"



CT

CT-60 6-Panel 2'6" x 6'8" 2'8" x 6'8" 3'0" x 6'8"



CT-80 CT 8-Panel 2'8" x 6'8" 3'0" x 6'8"



CT-90 CT 9-Panel 2'8" x 6'8" 3'0" x 6'8"



CT-22 СТ 2-Panel 2'8" x 6'8" 3'0" x 6'8"



CT-20 СТ 2-Panel Arch Top 2'8" x 6'8" 3'0" x 6'8"



CT-24 CT 2-Panel V-groove Arch Top 2'8" x 6'8" 3'0" x 6'8"



3'0" x 8'0"



ES8-60 ES 8'0" 6-Panel 2'6" x 8'0" 2'8" x 8'0" 3'0" x 8'0"

SEVERE WEATHER DOORGLASS

Raise, Lower and Tilt Blind (RLB)





ES-686RLB ES, DP, SP, FL Full View 2'8" x 6'8" 3'0" x 6'8"

ES-690/ 694RLB 1/2 View ES, DP, SP, FL CT Full View SL 2'8" x 6'8" 1'0" x 6'8" 3'0" x 6'8" 1'0" x 6'8" 1'2" x 6'8" (694 SL tilt

only)

Grilles Between Glass (GBG)

ES-684RLB ES8-612RLB FS 3'0" x 8'0"



ES8-487RLB FS 8'0" Full View 8'0" Full View 2'0" x 8'0"

Clear (CL) Glass



ES-686CL ES, DP, SP, FL Full View 2'8" x 6'8" 3'0" x 6'8" ES-687CL ES, DP, SP, FL 2'6" x 6'8"

ES-694CL

ES, DP, SP

Full View SL

1'0" x 6'8" 1'2" x 6'8"



CT

1/2 View

2'8" x 6'8"

3'0" x 6'8"



ES

ES8-612CL ES8-493CL ES Full View SL 1'0" x 8'0" 1'2" x 8'0" 8'0" Full View 2'8" x 8'0" 3'0" x 8'0" ES8-496CL 2'6" x 8'0"

e

e e e e e e eCT-684GBG9* ES-686GBG10 ES-686GBG15* ES-694GBG5* ES8-612GBG18* ES8-493GBG6 ES8-612GBG12 ES, DP, SP, FL ES, DP, SP, FL ES, DP, SP, FL ES ES ES СТ 9-Lite 10-Lite 15-Lite 5-Lite SL 8'0" 18-Lite 8'0" 6-Lite SL 8'0" 12-Lite 2'8" x 6'8" 3'0" x 6'8" 2'8" x 6'8" 3'0" x 6'8" 2'8" x 6'8" 3'0" x 6'8" 1'0" x 6'8" 1'2" x 6'8" 2'8" x 8'0" 1'0" x 8'0" 2'8" x 8'0" 3'0" x 8'0" 1'2" x 8'0" 3'0" x 8'0"





ES-686CD

Full View

2'8" x 6'8" 3'0" x 6'8"

ES, DP, SP, FL



ES-694CD

ES, DP, SP, FL CT

Full View SL

1'0" x 6'8" 1'2" x 6'8"



CTA-607CD

3/4 View

2'8" x 6'8"

3'0" x 6'8"





3'0" x 8'0"

1'0" x 8'0" 1'2" x 8'0"

Expressions (EX) Glass



ES-686EX ES-694EX ES, DP, SP, FL Full View ES, DP, SP, FL CT Full View SL 2'8" x 6'8" 3'0" x 6'8" 1'0" x 6'8" 1'2" x 6'8"





ES8-493EX ES 8'0" Full View SL 1'0" x 8'0" 1'2" x 8'0" 2'8" x 8'0" 3'0" x 8'0"

W

8'0" Full

View

CT

1/4 View

2'8" x 6'8"

3'0" x 6'8"

2'8" x 6'8" 3'0" x 6'8"

SEVERE WEATHER DOORGLASS

Jacinto (JA) Glass







CTA-607JA ES-694JA ES, DP, SP, FL CT Full View SL 3/4 View 1'0" x 6'8" 1'2" x 6'8" 2'8" x 6'8" 3'0" x 6'8"

FS



ES8-612JA ES8-493JA FS 8'0" Full View 8'0" Full 2'8" x 8'0" 3'0" x 8'0" View SL 1'0" x 8'0" 1'2" x 8'0"

Impressions (LI) Glass



ES-686LI ES, DP, SP, FL ES, DP, SP, FL Full View 2'8" x 6'8" 3'0" x 6'8" 1'0" x 6'8" 1'2" x 6'8"



CT

CT-684RA

1/2 View

2'8" x 6'8"

3'0" x 6'8"

1/2 View

2'8" x 6'8" 3'0" x 6'8"

ES8-612LI ES8-493LI FS 8'0" Full 8'0" Full View SL 1'0" x 8'0" 1'2" x 8'0" 2'8" x 8'0" 3'0" x 8'0"

Heirlooms (HM) Glass



ES-686HM ES-694HM ES, DP, SP, FL ES, DP, SP, FL Full View SL Full View 2'8" x 6'8" 1'0" x 6'8" 3'0" x 6'8" 1'2" x 6'8"



CTA-607HM CT-684HM CT CT 3/4 View 1/2 View 2'8" x 6'8" 2'8" x 6'8"

3'0" x 6'8"



ES8-612HM ES8-493HM ES 8'0" Full 8'0" Full View View SL 1'0" x 8'0" 1'2" x 8'0" 2'8" x 8'0" 3'0" x 8'0"



ES-694LI

Full View SL





Full View 2'8" x 6'8" 3'0" x 6'8" 1'2" x 6'8"



FS

View



ES8-612RA ES 8'0" Full View 2'8" x 8'0" 3'0" x 8'0"

8'0" Full View SL

Majestic (ME) Glass



ES-686ME	ES-694ME	CT-651ME	CT-684ME
ES, DP, SP, FL	ES, DP, SP, FL	CT	CT
Full View	Full View SL	1/4 View	1/2 View
2'8" x 6'8"	1'0" x 6'8"	2'8" x 6'8"	2'8" x 6'8"
3'0" x 6'8"	1'2" x 6'8"	3'0" x 6'8"	3'0" x 6'8"



ES

3'0" x 6'8"

ES8-612ME ES8-493ME ES ES 8'0" Full 8'0" Full View View SL 1'0" x 8'0" 1'2" x 8'0" 2'8" x 8'0" 3'0" x 8'0"

Paris (PS) Glass



ES-686PS ES-694PS CTA-607PS ES, DP, SP, FL ES, DP, SP, FL CT Full View 2'8" x 6'8" 3'0" x 6'8" 3/4 View Full View SL 1'0" x 6'8" 1'2" x 6'8" 2'8" x 6'8" 3'0" x 6'8"

ES8-493RA ES

1'0" x 8'0" 1'2" x 8'0"

The JELD-WEN Door System

All JELD-WEN doors are available with our prehanging option. This comprehensive package ensures the smoothest installation of your JELD-WEN door. Ask your dealer for available prehung options.

- 6'8", 7'0" and 8'0" systems
- Doors available in both inswing and outswing configurations

Multiple frame depths available 4-9/16"; 5-1/4"; 6-9/16"; 7-1/4"

Standard primed frames and brickmould, ready to paint

Optional AuraLast[®] Wood exterior door frames and brickmould - **stain** or **paint grade**

Hinge finish options available. Contact JELD-WEN dealer for more information

Energy efficient foam weatherstripping around the door perimeter, combined with door bottom sweeps to help seal out wind and water.

WORRY

Sill system

AuraLast[®] The Worry-Free Wood

Working with AuraLast® Wood is easy. Virtually 100% surface to core protection; nail and screw holes and trimming and sanding will not compromise the Shield of AuraLast protection. Other manufacturers use dip-treated wood which has only surface protection.

Only JELD-WEN makes window and door products with solid pine AuraLast The Worry-Free Wood, which offers superior protection from wood rot, water saturation and termites.

Protects against termite infestation

Harmful termites will eat through unprotected wood-not so with AuraLast Wood.

Protects against wood rot

AuraLast Wood windows and patio doors, wood doors, frames and components maintain their structural integrity even in the harshest weather and toughest climates.

Protects against water saturation

AuraLast Wood offers superior resistance to water saturation, which helps protect against swelling and preventing the window or door from sticking.

To learn more visit www.jeld-wen.com/auralast



WOR

Appropriate Protection for Exterior Doors

The protection of your door is a major factor in its maintenance requirements and longevity. To adequately protect your door and extend its life, you have to consider several factors. You'll need to take into account the door type, climate, exposure, color choice and the use of a storm door.

Every door type weathers differently. Wood doors, for example, are more susceptible to the elements than steel or fiberglass. Here are some guidelines as you consider the type of door you install, the finish you choose, and how much overhang protection is needed.



Overhangs

Depending on the climate and the direction the door faces, wood doors will require some sort of protective overhang. A formula to help you determine the correct overhang for your wood door in most cases is: Y = 1/2X. For example, if the measurement from the

base of the door to the bottom of the overhang is 10 feet, then the overhang should extend at least 5 feet. In most climates, an overhang as shown in the illustration is required for wood doors, and suggested for all exterior doors. Keep in mind that overhangs are always wise, even for steel and fiberglass doors.

You also need to take into account the variables specific to your region. The climate and the direction a door faces play a key role in determining a proper overhang. Typically, southern and western exposures are harshest. With southern exposures, the sun beats down on the door from sunrise to sunset. In western exposures, the door receives sunlight in the hottest part of the day. Please consult the chart below and adjust the length of the overhang as needed.

Without correct overhangs, doors with a southern, southwestern, southeastern or western exposure will require more frequent maintenance. Doors with these exposures may experience performance problems such as rapid finish deterioration, color fading, wood splitting, warping, moulding shrinkage, wood joint separation, and water penetration between the mouldings, panels and glass. With proper overhangs, doors may face any direction (north, south, east or west). Doors installed in these types of applications still require finish maintenance. Wood doors, for instance, may need to be refinished every two to five years.

Color Choice

No matter what type of exterior door you install, color choice may affect how quickly the exterior of the door weathers in extreme climates. In general, darker colors absorb more heat than lighter colors. The exterior face of a door exposed to the sun in harsh environments can reach temperatures well in excess of 120 degrees. As a rule of thumb, if you can't hold your hand on the face of the door for more than 30 seconds, the door is too hot. These extreme temperatures can cause noticeable damage to the door including finish deterioration and accelerated color fading. In addition, extreme temperature changes can cause warping, sticking and other performance problems. For doors with little protection or doors installed in hot environments, light colors may help reflect the heat and slow down heat build-up. Depending on the exposure and environment, other precautions (such as overhangs) should be taken to protect your door from the effects of the sun.

Storm Doors

Storm doors provide additional protection for your door in many climates. They shelter the door mainly from rain and wind, though a storm door with dual-pane Low-E glass will also block UV rays. In hot climates or if the exterior door gets more than a few hours of direct sun each day, adding a storm door may not be a good choice. It may trap too much heat and cause the surface temperature of the door to raise above 150F. This may cause substantial damage — such as warping, color fading and wood joint separation — to the door and be dangerous to the touch. Please note, a storm door in front of a dark colored exterior door can accelerate heat buildup even more.

JELD-WEN Warranties

This document provides general information about measures that can be taken to better protect exterior doors, but no warranties, whether express or implied, are provided by this document. For specific product information and available product warranties, please refer to **www.jeld-wen.com** or contact JELD-WEN Customer Service at 888-JWHELPU.

		NORTH	SOUTH	EAST	WEST
	DESERT	Y=1/2X	Y=2X	Y=1/2X	Y=2X
IATE	OCEAN	Y=1/2X	Y=X	Y=1/2X	Y=X
CLIM	WET	Y=X	Y=X	Y=X	Y=X
	MILD	Y=1/2X	Y=X	Y=1/2X	Y=X

DIRECTION YOUR DOOR FACES

Width	Height	No. of Panels	Thickness	Panel Width	Outer Stiles	Center Mullion	Top Rail	Lock Rail	Bottom Rail	Surface
6-PANEL		1 411015								
3'0", 3'6"	6'8"	6	1-3/4"	10-7/8", 12"	4-7/8", 6-3/8"	4-1/4", 5"	4-3/4", 4-7/8"	6-1/2 "	9-1/4"	Mahogany
3'0", 3'6"	8'0"	6	1-3/4"	10-7/8", 12-1/2"	4-7/8", 5-7/8"	4-1/4", 5"	4-3/4"	8"	8-1/2 "	Mahogany
3-PANEL										
3'0"	6'8"	3	1-3/4 "	11-1/2", 26"	5-1/8"	N/A	4-3/4"	3-3/16"	9-1/4"	Mahogany
4-PANEL BOTTO	OM ARCH									
3'0"	6'8"	4	1-3/4 "	N/A	5-1/8"	N/A	4-3/4"	N/A	9-1/4"	Mahogany
3'0, 3'6"	8'0"	4	1-3/4 "	N/A	4-7/8", 6-3/8"	N/A	4-3/4"	N/A	8-1/2 "	Mahogany
2-PANEL CRAFT	SMAN (CA	MBER/SQU	JARE TOP)							
3'0"	6'8"	2	1-3/4"	10"	4-7/8"	5-15/16"	4-3/4 "	N/A	9-1/4 "	Mahogany
2-PANEL PLANK										
3'0"	6'8"	2	1-3/4 "	26"	4-7/8 "	N/A	4-3/4 "	6-1/2 "	9-1/4 "	Mahogany
3'0", 3'6"	8'0"	2	1-3/4 "	26", 30"	4-7/8", 5-7/8"	N/A	4-3/4 "	7"	8-1/2 "	Mahogany
1-PANEL PLANK	· •				_					
3'0"	6'8"	1	1-3/4 "	26"	4-7/8 "	N/A	4-3/4 "	N/A	9-1/4 "	Mahogany
3'0, 3'6"	8'0"	1	1-3/4 "	26", 30"	4-7/8", 5-7/8"	N/A	4-3/4 "	N/A	8-1/2 "	Mahogany
1-PANEL 3/4 LIT	E									
3'0"	6'8"	1	1-3/4"	26"	4-7/8 "	N/A	5-1/8"	5"	9-1/4"	Mahogany
3'0"	8'0"	1	1-3/4"	26"	4-7/8"	N/A	5-1/8"	5-7/8"	8-1/2 "	Mahogany
FULL LITE										
3'0"	6'8"	N/A	1-3/4"	N/A	5-1/8"	N/A	5-1/8"	N/A	9-5/8"	Mahogany
3'0"	8'0"	N/A	1-3/4 "	N/A	5-1/8"	N/A	5"	N/A	9"	Mahogany

Architectural Fiberglass Doors - Mahogany

Architectural Fiberglass Doors - Oak

Width	Height	No. of Panels	Thickness	Panel Width	Outer Stiles	Center Mullion	Top Rail	Lock Rail	Bottom Rail	Surface			
6-PANEL													
3'0"	6'8"	6	1-3/4"	10-7/8"	4-7/8"	4-1/4"	4-7/8"	6-1/2 "	9-1/4 "	Oak			
2-PANEL 1/2 LITE	2-PANEL 1/2 LITE												
3'0"	6'8"	2	1-3/4"	10-7/8"	4-7/8"	4-1/4"	5-1/8"	6-7/8"	9-1/4"	Oak			
2-PANEL 3/4 LITE													
3'0"	6'8"	2	1-3/4"	10-1/2 "	4-7/8"	5 "	5-1/8"	N/A	9-1/4"	Oak			
FULL LITE													
3'0"	6'8"	N/A	1-3/4"	N/A	4-7/8"	N/A	5-1/8"	N/A	9-5/8"	Oak			

Architectural Fiberglass Sidelights - Mahogany

Width	Height	No. of Panels	Thickness	Panel Width	Outer Stiles	Center Mullion	Top Rail	Lock Rail	Bottom Rail	Surface		
FULL LITE												
1'0, 1'2"	6'8"	N/A	1-3/4"	N/A	1-1/2", 2-1/2"	N/A	5-1/8"	N/A	9-5/8"	Mahogany		
1'0, 1'2"	8'0"	N/A	1-3/4 "	N/A	1-1/2", 2-1/2"	N/A	5-1/8"	N/A	8-7/8"	Mahogany		
3/4 LITE												
1'0", 1'2"	6'8"	1	1-3/4"	8-5/8 "	1-1/2", 2-1/2"	N/A	5-1/8"	N/A	9-1/4"	Mahogany		
1/2 LITE												
1'0", 1'2"	6'8"	1	1-3/4"	8-5/8 "	1-1/2", 2-1/2"	N/A	5-1/8"	N/A	9-1/4"	Mahogany		

Architectural Fiberglass Sidelights - Oak

Width	Height	No. of Panels	Thickness	Panel Width	Outer Stiles	Center Mullion	Top Rail	Lock Rail	Bottom Rail	Surface
FULL LITE										
1'0, 1'2"	6'8"	N/A	1-3/4"	N/A	1-1/2", 2-1/2"	N/A	5-1/8"	N/A	9-5/8"	Oak
3/4 LITE										
1'0", 1'2"	6'8"	1	1-3/4"	8-3/4"	1-1/2", 2-1/2"	N/A	5-1/8"	N/A	9-1/4"	Oak
1/2 LITE										
1'0", 1'2"	6'8"	1	1-3/4"	8-3/4 "	1-1/2", 2-1/2"	N/A	5-1/8"	N/A	9-1/4"	Oak

		-	-				
Door Series	Width	Height*	Outer Stiles	Center Mullion	Top Rail	Lock Rail	Glass Cut Out
FLUSH							
FL	2'6", 2'8", 2'10", 3'0"	6'8"	N/A	N/A	N/A	N/A	up to 23" x 65"
FL	2'8", 3'0"	7'0"	N/A	N/A	N/A	N/A	up to 23" x 65"
6-PANEL							
FW, FK	2'6"	6'8"	4-3/8"	4-3/8"	4-7/8"	6-7/16"	up to 21" x 65"
FL, FW, FK	2'8", 2'10", 3'0"	6'8"	4-3/8", 5-3/8", 6-3/8"	5"	4-7/8"	6-7/16"	up to 23" x 65"
FL, FW, FK	2'8", 3'0"	7'0"	4-3/8", 6-3/8"	5 "	4-7/8"	6-7/16"	up to 23" x 65"
FL, FW, FK	2'8", 3'0"	8'0"	4-3/8", 6-3/8"	5"	6-5/8 "	8"	up to 23" x 81"
4-PANEL DOOR W	ITH BLANK TOP						
FL, FW, FK	2'8",3'0"	6'8"	4-3/8" , 6-3/8"	5"	4-7/8"	6-7/16"	up to 23" x 65"
HALF-LITE							
FW, FK	2'6"	6'8"	4-3/8"	4-3/8"	4-7/8"	6-7/16"	21" x 37"
FL, FW,FK	2'8", 2'10", 3'0"	6'8"	4-3/8", 5-3/8", 6-3/8"	5"	4-7/8"	6-7/16"	23" x 37"
FL, FW, FK	2'8", 3'0"	7'0"	4-3/8", 6-3/8"	5"	4-7/8"	6-7/16"	23" x 37"
FL, FW,FK	2'8", 3'0"	8'0"	4-3/8", 6-3/8"	5"	6-5/8 "	8"	23" x 49"
FULL-LITE							
FW, FK	2'6"	6'8"	4-3/8 "	N/A	4-7/8"	N/A	21" x 65"
FL, FW,FK	2'8", 2'10", 3'0"	6'8"	4-3/8", 5-3/8", 6-3/8"	N/A	4-7/8"	N/A	23" x 65"
FL, FW, FK	2'8", 3'0"	7'0"	4-3/8", 6-3/8"	N/A	4-7/8"	N/A	23" x 65"
FL, FW,FK	2'8", 3'0"	8'0"	4-3/8", 6-3/8"	N/A	6-5/8 "	N/A	23" x 81"

FiberLast Doors - Smooth (FL), Woodgrain White (FW), Woodgrain Stainable Tan (FK)

FiberLast Sidelights - Smooth (FL), Woodgrain White (FW), Woodgrain Stainable Tan (FK)

FLUSH							
FL	10", 1'0", 1'2"	6'8"	N/A	N/A	N/A	N/A	up to 9" x 65"
FL	1'0", 1'2"	7'0"	N/A	N/A	N/A	N/A	up to 9" x 65"
HALF-LITE							
FL, FW, FK	1'0", 1'2"	6'8"	1-1/2", 2-1/2"	N/A	4-7/8"	6-7/16"	9" x 37"
FL, FW, FK	1'0", 1'2"	7'0"	1-1/2", 2-1/2"	N/A	4-7/8"	6-7/16"	9" x 37"
FL, FW, FK	1'0", 1'2"	8'0"	1-1/2", 2-1/2"	N/A	6-5/8"	8"	9" x 49"
FULL-LITE							
FL	10"	6'8"	1/2 "	N/A	4-7/8"	N/A	8" x 65"
FL, FW, FK	1'0", 1'2"	6'8"	1-1/2", 2-1/2"	N/A	4-7/8"	N/A	9" x 65"
FL, FW, FK	1'0", 1'2"	7'0"	1-1/2", 2-1/2"	N/A	4-7/8"	N/A	9" x 65"
FL, FW, FK	1'0", 1'2"	8'0"	1-1/2", 2-1/2"	N/A	6-5/8"	N/A	9" x 81"

* 6'8" doors available in 79" to 79-1/4" heights; 7'0" doors available in 83" to 83-1/4" heights; 8'0" doors available in 95" to 95-1/4" heights

Bottom Rail height varies with door height: Smooth Bottom Rail: 10-1/4" to 10-1/2"; Woodgrain Bottom Rail: 9-1/8" to 9-7/16"

Width	Height	No. of Panels	Thickness	Panel Width	Outer Stiles	Center Mullion	Top Rail	Lock Rail	Bottom Rail	Surface		
FLUSH												
3'0"	6'8"	N/A	1-3/4 "	N/A	N/A	N/A	N/A	N/A	N/A	Mahogany		
3'6"	8'0"	N/A	1-3/4 "	N/A	N/A	N/A	N/A	N/A	N/A	Mahogany		
2-PANEL CONTINENTAL												
3'0"	6'8"	2	1-3/4 "	23"	6-3/8"	N/A	4-7/8"	6-1/2 "	9-1/8"	Mahogany		
3'0"	8'0"	2	1-3/4 "	23"	6-3/8"	N/A	6-1/8"	8"	11-3/8"	Mahogany		
1-PANEL 3/4 LITE												
3'0"	6'8"	1	1-3/4 "	23"	6-3/8"	N/A	4-7/8"	5-1/2 "	9-1/8"	Mahogany		
1-PANEL 1/2 LITE												
3'0"	6"8"	1	1-3/4 "	23"	6-3/8"	N/A	4-7/8"	6-3/8"	9-1/4"	Mahogany		
FULL LITE												
3'0"	6'8"	N/A	1-3/4 "	N/A	6-3/8"	N/A	4-7/8"	N/A	9-1/8"	Mahogany		
3'0"	8'0"	N/A	1-3/4"	N/A	6-3/8"	N/A	4-7/8"	N/A	9-1/8"	Mahogany		
FULL LITE OVAL												
3'0"	6'8"	N/A	1-3/4"	N/A	6-3/8 "	N/A	4-7/8"	N/A	9-1/8"	Mahogany		

Design-Pro Fiberglass Doors - Mahogany

Design-Pro Fiberglass Doors - Oak

Width	Height	No. of Panels	Thickness	Panel Width	Outer Stiles	Center Mullion	Top Rail	Lock Rail	Bottom Rail	Surface
FLUSH										
2'8", 2'10", 3'0"	6'8"	N/A	1-3/4"	N/A	N/A	N/A	N/A	N/A	N/A	Oak
3'0"	8'0"	N/A	1-3/4"	N/A	N/A	N/A	N/A	N/A	N/A	Oak
6-PANEL										
2'6"	6'8	6	1-3/4"	8-5/16"	4-3/8 "	4-3/8"	4-7/8"	6-1/2 "	9-1/4"	Oak
2'8, 2'10", 3'0"	6'8"	6	1-3/4"	9"	4-3/8", 5-3/8", 6-3/8"	5"	4-7/8"	6-1/2 "	9-1/4"	Oak
3'0"	8'0"	6	1-3/4"	9"	6-3/8 "	5 "	4-7/8"	8"	12-5/8"	Oak
4-PANEL BLANK	TOP (W/ C	CAMBER L	ITE OR SUNB	URST)						
3'0"	6'8"	4	1-3/4"	9"	6-3/8"	5"	20-1/4"; 4-7/8" w/cut out	6-1/2 "	9-1/4"	Oak
2-PANEL 1/2 LITE										
2'6", 2'8", 2'10", 3'0"	6'8"	2	1-3/4"	8-5/16", 9"	4-3/8", 5-3/8", 6-3/8"	4-3/8", 5"	4-7/8"	6-3/8"	9-1/4"	Oak
4-PANEL FLAT										
3'0"	6'8"	4	1-3/4"	9"	6-3/8"	5 "	4-3/4 "	6-1/2 "	9-1/4 "	Oak
3-PANEL OVAL										
3'0"	6'8"	3	1-3/4"	10"	6-3/8 "	3"	4-1/8"	3-1/2 "	7-3/8"	Oak
8-PANEL CENTER	ARCH									
3'0"	6'8"	8	1-3/4"	varies	6-3/8 "	N/A	4-7/8"	N/A	8-3/4 "	Oak
9-PANEL										
3'0"	6'8"	9	1-3/4"	5-1/4", 8-1/2"	6-3/8 "	N/A	4-7/8"	N/A	8-1/8"	Oak
FULL LITE										
2'6", 2'8", 2'10", 3'0"	6'8"	N/A	1-3/4"	N/A	4-3/8", 5-3/8", 6-3/8"	N/A	4-7/8"	N/A	9-1/8"	Oak
2'6", 3'0"	8'0"	N/A	1-3/4"	N/A	4-3/8", 6-3/8"	N/A	4-7/8"	N/A	9-1/8"	Oak
FULL LITE OVAL										
3'0"	6'8"	N/A	1-3/4"	N/A	6-3/8 "	N/A	4-7/8"	N/A	9-1/8"	Oak

Design-Pro Fiberglass Sidelights

Width	Height	No. of Panels	Thickness	Panel Width	Outer Stiles	Center Mullion	Top Rail	Lock Rail	Bottom Rail	Surface
FULL LITE										
1'0, 1'2"	6'8"	N/A	1-3/4"	N/A	1-3/8", 2-3/8"	N/A	4-7/8"	N/A	9-1/8"	Oak, Mahogany
1'0, 1'2"	8'0"	N/A	1-3/4"	N/A	1-3/8", 2-3/8" 1-7/8", 2-7/8"	N/A	4-7/8"	N/A	9-1/8"	Oak, Mahogany
1-PANEL 3/4 LITE										
1'0", 1'2"	6'8"	1	1-3/4"	9"	1-7/8", 2-7/8"	N/A	4-7/8"	N/A	9-1/4"	Oak, Mahogany
1-PANEL 1/2 LITE										
10"*, 1'0", 1'2"	6'8"	1	1-3/4"	9"	7/8", 1-7/8", 2-7/8"	N/A	4-7/8"	N/A	9-1/4"	Oak
1'0", 1'2"	6'8"	1	1-3/4"	9"	7/8", 1-7/8", 2-7/8"	N/A	4-7/8"	N/A	9-1/4"	Mahogany

*10" Sidelights have an 8" opening and can only accommodate 7" glass



Smooth-Pro Fiberglass Doors

Width	Height	No. of Panels	Thickness	Panel Width	Outer Stiles	Center Mullion	Top Rail	Lock Rail	Bottom Rail	Surface
FLUSH										
2'8", 2'10", 3'0"	6'8"	N/A	1-3/4"	N/A	N/A	N/A	N/A	N/A	N/A	Smooth
3'0"	8'0"	N/A	1-3/4"	N/A	N/A	N/A	N/A	N/A	N/A	Smooth
3-PANEL 3/4 OVA	۱L									
3'0"	6'8"	3	1-3/4"	10"	6-3/8"	3"	4-1/8"	3-1/2 "	7-3/8"	Smooth
4-PANEL BLANK	ТОР									
3'0"	6'8"	4	1-3/4"	9"	6-3/8"	5"	4-7/8"	6-1/2 "	9-1/4"	Smooth
4-PANEL CAMBE	r top/sui	NBURST								
3'0"	6'8"	4	1-3/4"	9"	6-3/8"	5"	4-7/8"	6-1/2 "	9-1/4"	Smooth
6-PANEL										I
2'6"	6'8"	6	1-3/4"	8-5/16"	4-3/8 "	4-3/8"	4-7/8"	6-1/2 "	9-1/4"	Smooth
2'8", 2'10", 3'0"	6'8"	6	1-3/4"	9"	4-3/8", 5-3/8", 6-3/8"	5"	4-7/8"	6-1/2 "	9-1/4"	Smooth
3'0"	8'0"	6	1-3/4"	9"	6-3/8"	5"	4-7/8"	8"	12-5/8"	Smooth
8-PANEL CENTER	ARCH									
3'0"	6'8"	8	1-3/4"	5",10"	6-3/8 "	N/A	4-7/8"	N/A	8-3/4 "	Smooth
9-PANEL										
3'0"	6'8"	9	1-3/4"	5-1/4",8-1/2"	6-3/8"	N/A	4-7/8"	2"	8-1/8"	Smooth
2-PANEL 1/2 LITE										
2'6", 2'8", 2'10", 3'0"	6'8"	2	1-3/4"	8-5/16", 9"	4-3/8", 5-3/8", 6-3/8"	4-3/8", 5"	4-7/8"	6-3/8"	9-1/4"	Smooth
1-PANEL 3/4 LITE										
3'0"	6'8"	1	1-3/4"	23"	6-3/8"	N/A	4-7/8"	5-1/2 "	9-1/8"	Smooth
4-PANEL FLAT										
3'0"	6'8"	4	1-3/4"	9"	6-3/8"	5"	4-3/4"	6-1/2 "	9-1/4"	Smooth
FULL LITE										
2'6"	6'8"	N/A	1-3/4"	N/A	4-3/8"	N/A	4-7/8"	N/A	9-1/8"	Smooth
2'8", 2'10", 3'0"	6'8"	N/A	1-3/4"	N/A	4-3/8", 5-3/8", 6-3/8"	N/A	4-7/8"	N/A	9-1/8"	Smooth
2'6"	8'0"	N/A	1-3/4 "	N/A	4-3/8"	N/A	4-7/8"	N/A	9-1/8"	Smooth
3'0"	8'0"	N/A	1-3/4"	N/A	6-3/8"	N/A	4-7/8"	N/A	9-1/8"	Smooth
FULL LITE OVAL										
3'0"	6'8"	N/A	1-3/4"	N/A	6-3/8 "	N/A	4-7/8"	N/A	9-1/8"	Smooth

Smooth-Pro Fiberglass Sidelights

Width	Height	No. of Panels	Thickness	Panel Width	Outer Stiles	Center Mullion	Top Rail	Lock Rail	Bottom Rail	Surface
FULL LITE										
10", 1'0, 1'2"	6'8"	N/A	1-3/4"	N/A	1-3/8", 2-3/8"	N/A	4-7/8"	N/A	9-1/8"	Smooth
1'0, 1'2"	8'0"	N/A	1-3/4"	N/A	1-7/8", 2-7/8"	N/A	4-7/8"	N/A	9-1/8"	Smooth
1-PANEL 3/4 LITE	MATCH (10-1/2" PA	NEL HEIGHT)							
1'0", 1'2"	6'8"	1	1-3/4"	9"	1-3/8", 2-3/8"	N/A	4-7/8 "	N/A	9-1/8"	Smooth
3-PANEL MATCH	(16-1/2"	PANEL HE	IGHT)							
10", 1'0", 1'2"	6'8"	1	1-3/4"	9 "	1-3/8", 2-3/8"	N/A	4-1/8 "	N/A	7-3/8"	Smooth
6-PANEL MATCH										
1'0", 1'2"	6'8"	1	1-3/4"	8-3/8", 9"	1-3/8", 2-3/8"	N/A	4-7/8 "	N/A	9-1/4"	Smooth

Steel Doo	rs									
Width	Height	No. of Panels	Thickness	Panel Width	Outer Stiles	Center Mullion	Top Rail	Lock Rail	Bottom Rail	Surface
CONTOURS 2	1	1	4.2/4#	22.2/4#				6.4/2 #	0.1	C 11
2'8", 3'0" CONTOURS [™] 2:	6'8"		1-3/4"	23-3/4"	4-1/4", 6-1/4"	NA	5"	6-1/2 "	9"	Smooth
2'8", 3'0"	-PANEL 3Q0	ARE TOP	1-3/4"	23-3/4"	4-1/4", 6-1/4"	NA	5"	6-1/2 "	9"	Smooth
CONTOURS [™] 2				23 5/1		107	<u>y</u>	0 1/2		Sinooth
2'8", 3'0"	6'8"	2	1-3/4"	23-3/4"	4-1/4", 6-1/4"	NA	5"	6-1/2 "	9"	Smooth
CONTOURS [™] 3	-PANEL									
2'8"	6'8"	3	1-3/4"	23"	4-3/8"	3"	4-5/8 "	3-1/2 "	6-7/8"	Smooth
3'0"	6'8"	3	1-3/4"	23"	6-3/8"	3"	4-5/8 "	3-1/2 "	6-7/8"	Smooth
CONTOURS 2		1	1 2/4	22#	C 2/0 II		2.2/4#	21	6.2/4#	Creastle
3'0" CONTOURS [™] 2-	6'8" PANEL 1/2)		1-3/4"	23"	6-3/8"	NA	3-3/4 "	3"	6-3/4"	Smooth
3'0"	-PANEL 1/2	2	1-3/4"	9"	6-3/8"	4-3/4 "	5-1/8"	6-3/8 "	9"	Smooth
CONTOURS [™] SI					0 5/0	- 5/-	5 1/0	0 3/0		Shiooth
2'8"	6'8"	4	1-3/4"	9"	4-3/8"	4-3/4 "	5-1/8 "	6-3/8 "	9"	Smooth
3'0"	6'8"	4	1-3/4"	9"	6-3/8"	4-3/4 "	5-1/8 "	6-3/8"	9"	Smooth
CONTOURS [™] 6-		1								
2'6"	6'8"	6	1-3/4"	8-5/16"	4-3/8"	4-1/4"	5-1/8"	6-3/8"	9"	Smooth
2'8"	6'8"	6	1-3/4"	9"	4-3/8"	4-3/4"	5-1/8"	6-3/8"	9"	Smooth
3'0"	6'8"	6	1-3/4"	9"	6-3/8"	4-3/4"	5-1/8"	6-3/8"	9"	Smooth
3'0" CONTOURS [™] 8-	8'0"	6	1-3/4"	9"	6-3/8"	5"	5-1/4"	8"	12-1/4"	Smooth
2'8"	-PANEL 6'8"	8	1-3/4"	23"	4-3/8"	NA	5-1/8"	NA	8-1/2 "	Smooth
3'0"	6'8"	8	1-3/4"	23"	6-3/8"	NA	5-1/8"	NA	8-1/2"	Smooth
CONTOURS [™] 9			1 1 3/1	20	0 3/0	101	5 110		0 1/2	Sinootii
2'8"	6'8"	9	1-3/4"	5-5/16"	4-3/8"	NA	5-1/8"	NA	9"	Smooth
3'0"	6'8"	9	1-3/4"	5-5/16"	6-3/8"	NA	5-1/8"	NA	9"	Smooth
ENERGY SAVE		T						1		
2'8"	6'8"	4	1-3/4"	9"	4-3/8"	4-7/8"	6-1/4"	8"	8-7/8"	Smooth
	6'8"	4	1-3/4"	9"	6-3/8"	4-7/8"	6-1/4 "	8"	8-7/8"	Smooth
ENERGY SAVE	6'8"	6	1-3/4"	9"	6-3/8"	4-7/8"	5-1/8"	6-3/8 "	9"	Smooth
GLADIATOR [®] 3		0	1-3/4		0-5/8	4-770	5-178	0-5/0		51100111
2'8"	6'8"	3	1-3/4"	23"	4-3/8"	3"	4-5/8 "	3-1/2"	6-7/8"	Smooth
3'0"	6'8"	3	1-3/4"	23"	6-3/8"	3"	4-5/8 "	3-1/2 "	6-7/8 "	Smooth
GLADIATOR SU	JNBURST W	ТН СОТО	UT							
2'8"	6'8"	4	1-3/4"	9"	4-3/8"	4-7/8"	3-3/4 "	6-3/8"	9"	Smooth
3'0"	6'8"	4	1-3/4"	9"	6-3/8"	4-7/8"	3-3/4 "	6-3/8"	9"	Smooth
GLADIATOR 6-	1		4 2/4	0.546	4.2/0.1	4 4 (4 11	E 4/0 II	6.2/0.1	0.1	C II
2'6" 2'8"	6'8" 6'8"	6	1-3/4"	8-5/16" 9"	4-3/8"	4-1/4"	5-1/8"	6-3/8"	9" 9"	Smooth
2 8 3'0"	6'8"	6	1-3/4" 1-3/4"	9"	4-3/8" 6-3/8"	4-7/8" 4-7/8"	5-1/8" 5-1/8"	6-3/8" 6-3/8"	9"	Smooth Smooth
GLADIATOR 9-			1 317			F 7/0	5 1/0	0.0		5.1100111
2'8"	6'8"	9	1-3/4"	5-1/4"	4-3/8"	NA	5-1/8"	NA	9"	Smooth
3'0"	6'8"	9	1-3/4"	5-1/4"	6-3/8"	NA	5-1/8"	NA	9"	Smooth
FINISHIELD [®] 3-										
2'8"	6'8"	3	1-3/4"	23"	4-3/8"	3"	4-5/8 "	3-1/2 "	6-7/8"	Textured
3'0"	6'8"	3	1-3/4"	23"	6-3/8"	3"	4-5/8 "	3-1/2 "	6-7/8"	Textured
FINISHIELD SU		4	1 2/4	0"	4.2/0#	4.7/0.1	2 2/4 #	6.2/0#	0 "	Textured
2'8" 3'0"	6'8" 6'8"	4	1-3/4" 1-3/4"	<u>9"</u> 9"	4-3/8" 6-3/8"	4-7/8" 4-7/8"	3-3/4" 3-3/4"	6-3/8 " 6-3/8 "	9" 9"	Textured Textured
FINISHIELD 6-P		4	1-5/4	9	0-3/8	4-7/8	5-3/4	0-3/8	9	lextured
2'6"	6'8"	6	1-3/4"	8-5/16"	4-3/8"	4-3/8"	5-1/8"	6-3/8"	9"	Textured
2'8"	6'8"	6	1-3/4"	9"	4-3/8"	4-7/8"	5-1/8"	6-3/8"	9"	Textured
3'0"	6'8"	6	1-3/4"	9"	6-3/8"	4-7/8"	5-1/8"	6-3/8"	9"	Textured
FINISHIELD 8-P	PANEL ARCH									
2'8"	6'8"	8	1-3/4"	9"	4-3/8"	NA	5-1/8"	NA	8-1/2 "	Textured
3'0"	6'8"	8	1-3/4"	9"	6-3/8"	NA	5-1/8"	NA	8-1/2 "	Textured
FINISHIELD 9-P			1 2/4	E 4/48	4.2/01		E 4/0 "	NI A	0."	Terrer 1
2'8"	6'8" 6'8"	9	1-3/4"	5-1/4"	4-3/8"	NA	5-1/8"	NA	9"	Textured
3'0"	6.8	9	1-3/4"	5-1/4 "	6-3/8"	NA	5-1/8 "	NA	9"	Textured

Steel Sidelights

Width	Height	No. of Panels	Thickness	Panel Width	Outer Stiles	Center Mullion	Top Rail	Lock Rail	Bottom Rail	Surface
3/4 LITE 3-PANEL	. MATCH									
1'0"	6'8"	1	1-3/4"	10"	1"	NA	5-1/8"	NA	6-7/8"	Smooth or Textured
1'2"	6'8"	1	1-3/4"	10"	2 "	NA	5-1/8"	NA	6-7/8"	Smooth or Textured
1/2 LITE 6-PANEL	. MATCH									
1'0"	6'8"	1	1-3/4"	9"	1-1/2 "	NA	5-1/8"	6-3/8"	9"	Smooth or Textured
1'2"	6'8"	1	1-3/4"	9"	2-1/2 "	NA	5-1/8"	6-3/8"	9"	Smooth or Textured
FULL LITE SIDELI	GHT									
1'0", 1'2"	6'8"	NA	1-3/4"	8"	1-7/8", 2-7/8"	NA	4-7/8"	NA	9-1/8"	Smooth

*All measurements are in inches unless noted. – *1" lock block offset required for 2'10" door.

*Door sizes are standard offering. Please check with your JELD-WEN representative for additional sizes and options.

JELD-WEN® INTERIOR AND EXTERIOR DOOR

SLAB AND SYSTEM LIMITED WARRANTY

OUR WARRANTY TO YOU...

JELD-WEN[®] Products¹ are designed to create lasting value for your home. This warranty is effective for JELD-WEN products manufactured on or after **July 1, 2010** for use in the United States and Canada. Separate warranties apply for our garage door collections. Any previous warranties will continue to apply to products manufactured by JELD-WEN prior to this date. For additional information, including care and maintenance information refer to **www.jeld-wen.com** or **www.jeld-wen.ca**.

What This Warranty COVERS

We warrant to the original owner² that if your JELD-WEN Product exhibits a defect in material or workmanship within the time periods from the date of purchase as specified below, we will, at our option, repair, replace or refund the purchase price of the Product or component part.

Owner-Occupied Single-Family Residence Limited Warranty

Fiberglass Door Slabs: We warrant our fiberglass door slabs for as long as you own and occupy your residence.

Steel Door Slabs: We warrant our steel door slabs for **ten (10)** years from the date of initial purchase.

Wood Door Slabs: We warrant our wood door slabs for **five (5)** years from the date of initial purchase.

Interior Door Slabs: We warrant our interior door slabs for **five (5)** years from the date of initial purchase.

Factory Prefinish: We warrant the factory-applied prefinish on our doors against peeling, checking, or cracking for periods listed below. Should the factory prefinish be proven defective, we will at our option, replace or refinish the door or pay up to credit per opening to the current owner. (Note: this coverage applies to factory-applied finish coat options only; standard factory-applied primer is not a finish coat.)

Product	Coverage	Refinish Credit
Custom Fiberglass Doors	5 years	\$350 per opening
Custom Exterior Wood Doors	1 year	\$250 per opening
Custom Interior Wood Doors	1 year	\$150 per opening
Premium Wood Doors	1 year	\$100 per opening

Door Frames: We warrant our door frames for **one (1)** year from the date of purchase.

AuraLast[®] Protection for Door Slabs and Frames: Our AuraLast pine wood door slabs will be free from wood cellular structure failure (often referred to as "wood cellular breakdown") caused by decay and/or termites for twenty (20) years from the date of initial purchase. Our AuraLast pine door frame components will be free from wood cellular structure failure caused by decay and/or termites for as long as the original consumer owns the home in which the AuraLast wood frames are originally installed. Warranty coverage outside Canada, the contiguous 48 states and Alaska is contingent upon approval from the JELD-WEN Customer Care Department. Please contact us.

Commercial Limited Warranty (Other than Owner-Occupied Single-Family Residence)

Fiberglass, Steel, Wood and Interior Door Slabs: We warrant our door slabs for five (5) years from the date of initial purchase.

All Other Products, Components, Prefinishes, and Options as Listed Above: Coverage is the same as for Owner-Occupied Single-Family Residences as listed above.

Transferability

This warranty is not transferable.

How to Get Assistance

If you have a problem with your JELD-WEN Door, immediately upon discovery, contact the distributor or dealer from whom you purchased our product or contact us directly:

In the United	d States:							
Mail:	JELD-WEN Customer Care							
	Attn: Door Warranty Claims							
	P.O. Box 1329, Klamath Falls, OR 97601							
Phone:	800-JELD-WEN (800-535-3936)							
Fax:	800-436-5954							
Email:	CustomerServiceAgents@jeld-wen.com							
In Eastern Ca	In Eastern Canada:							
Mail:	JELD-WEN Service Department 90, rue Industrielle Saint-Appollinaire, Quebec, Canada GOS 2EO							
Phone:	800-463-1930							
Fax:	888-998-1599							
In Western C	Canada:							
Mail:	JELD-WEN Service Department							
	550 Munroe Avenue							
	Winnipeg, Manitoba, Canada R2K 4H3							
Phone:	888-945-5627							
	204-668-8230							
Fax:	204-663-1072							
Email:	wpgservice@jeld-wen.com							

We can respond quickly and efficiently if you provide the following: a) date and location of purchase, or product identification from the tag on the top edge of the slab, b) how to contact you, c) the address where the product can be inspected, and d) a description of the apparent problem and the product (photographs are helpful).

What We Will Do

Upon receiving your notification, we will send out an acknowledgement within three business days to the contact, which you have provided. We will investigate your claim and will begin to take appropriate action within 30 days after receipt of notification. If it is determined that the product does not have a defect covered by the warranty, we may charge an inspection fee for an on site inspection that is required or requested by you. If we determine that there is in fact a defect we will repair the product, ship a replacement product to the distributor or person making the claim in the same specification as the original product sold to the distributor, or refund the original purchase price paid to us. Replacement components/products are warranted for the balance of the original product warranty or 90 days, whichever is longer. This warranty gives you specific legal rights, and you may have other rights that vary from state/province to state/province.

If the claimed nonconformity is warp of a door slab, we may defer repairing or replacing the door slab for a period up to **twelve (12)** months from the date of claim. It is not uncommon for a temporary warp condition to occur as the door slab adjusts to local humidity and temperature conditions. This deferral will not be counted against the warranty period.

What This Warranty Does NOT Cover

JELD-WEN manufactures and sells both individual door slabs and complete door systems. This warranty does not cover parts or components (e.g., locksets, handles, etc.) not sold by JELD-WEN to the original owner. See your distributor or dealer regarding the warranty on the entire door system and/or these other components.

We are not liable for:

- Normal wear and tear, including normal wear and tear of weatherstrip; and natural weathering of surfaces or variations in the color or texture of wood or finish; surface cracks that are less than 1/32" in width and/or 2" in length; for knotty alder and juniper: surface checks that are less than 1/8" in width and/or 5" in length, and knot placement, quantity, or size.
- Problems due to misuse or abuse; failure to follow the care and maintenance instructions; or as a result of any cause beyond our reasonable control (e.g. fire, flood, earthquake, other acts of nature, and acts of third parties outside of our control).
- Problems related to: improper field finishing of all surfaces (front and back) and edges (top, bottom, and sides) of the door slab and frame (See our Finishing Instructions at www.jeld-wen.com/resources); variation or unsatisfactory results in sheen or texture resulting from the field application of paint or any other finishing material.
- Failure to provide an adequate overhang for exterior doors; damage caused by extreme temperature buildup where storm doors are present. For general guidelines, see our "Appropriate Protection for Exterior Doors" in our product literature or at www.jeld-wen.com/resources; for specific information pertaining to your structure, consult your contractor or other building professional.
- Warp for any 3'6" wide by 8' 0" high by 1 3/4", or smaller door slab, which does not exceed 1/4" in the plane of the door slab itself; door slabs wider and/or higher are not guaranteed for warp.
- Bow or misalignment in the frame or jamb in which the door slab is hung (if such is purchased from JELD-WEN unmachined and not prehung).
- Slight expansion or contraction due to varying environmental conditions; slab movement (shrinkage or swelling) of 1/4" or less due to temperature and humidity, consult our Care & Maintenance documents on how to work with this natural movement.
- Wood cellular structure failure for wood components other than of AuraLast pine and any components (including pine) that come in direct contact with soil. Note: superficial mold/mildew does not indicate wood cellular structure failure.
- Problems related to water and/or air infiltration due to improper assembly; installation errors or flaws in building design and construction; installation must be in strict conformance with the installation instructions provided by the manufacturer of the door entry system.
- Structural integrity issues or other problems caused by improper field fitting of the hardware, improper sizing of the door slab, or other assembly problems.
- Damage or poor product performance resulting from installation

into a condition that exceeds product design standards and/or certified performance specifications and/or does not comply with applicable building codes.

- Hardware or inserts that are not provided by us, such as locksets, door handles, strikes, etc.
- Discoloration or rusting of decorative metal accent options, such as grilles, clavos, straps, etc.; discoloration of wood sills provided by us.
- Cost for labor, removal or disposal of defective product(s), installation or finishing of the replacement door or component.
- Incidental or consequential damage. Some states/provinces do not allow the exclusion or limitation of incidental or consequential damages, so this may not apply to you.

No distributor, dealer or representative of JELD-WEN has the authority to change, modify or expand this warranty.

¹"JELD-WEN Products" shall refer to interior and exterior door slabs and systems manufactured in the United States and marketed under the JELD-WEN brand name for use in the United States and Canada. See our separate Export Warranty for applicable coverage on products used outside the United States and Canada.

² This warranty extends to the original owner (original owner means the contractor/dealer/distributor/purchaser and the initial owner of the structure where the product is initially installed) and is not transferable. The original purchaser of this product acknowledges that they have read this warranty, understand it and are bound by its terms and agrees to provide this warranty to the original owner of the structure into which the product is installed. Should state or provincial law preclude no transferability, then the warranty period is effective as applicable up to **five (5)** years from the date of initial purchase for door slabs and systems and **one (1)** year from the date of manufacture for the factory pre-finish.

© 2010, JELD-WEN, inc. | JELD-WEN, FiberLast and AuraLast are trademarks or registered trademarks of JELD-WEN, inc., Oregon, USA.





The JELD-WEN website is your ultimate resource for learning about our reliable windows and doors. It has all the product information and design advice you need. Visit us at **jeld-wen.com** today.



Official window, door and millwork provider of the PGA TOUR and Champions Tour



©2011 JELD-WEN, inc. This publication and its contents are owned by JELD-WEN, inc. and are protected under the U.S. Copyright Act and other intellectual property laws. Unauthorized use or duplication is prohibited. All trademarks, service marks, logos, and the like (whether registered or unregistered) are owned or controlled by JELD-WEN, inc. or others.

JELD-WEN reserves the right to change product specifications without notice. Please check our website, jeld-wen.com, for current information.

10-568 11/11 (CDS 11/11 7.5M)

RELIABILITY for real life[®]

